

INTERNATIONAL JOURNAL OF RESEARCH IN COMPUTER APPLICATION & MANAGEMENT

I
J
R
C
M



A Monthly Double-Blind Peer Reviewed (Refereed/Juried) Open Access International e-Journal - Included in the International Serial Directories

Indexed & Listed at:

Ulrich's Periodicals Directory ©, ProQuest, U.S.A., EBSCO Publishing, U.S.A., Cabell's Directories of Publishing Opportunities, U.S.A.

Open J-Gate, India [link of the same is duly available at Inlibnet of University Grants Commission (U.G.C.)].

Index Copernicus Publishers Panel, Poland with IC Value of 5.09 & number of libraries all around the world.

Circulated all over the world & Google has verified that scholars of more than 3480 Cities in 174 countries/territories are visiting our journal on regular basis.

Ground Floor, Building No. 1041-C-1, Devi Bhawan Bazar, JAGADHRI – 135 003, Yamunanagar, Haryana, INDIA

<http://ijrcm.org.in/>

CONTENTS

Sr. No.	TITLE & NAME OF THE AUTHOR (S)	Page No.
1.	CUSTOMER SATISFACTION TOWARDS KINGFISHER BEER IN PULICHERLA MANDAL <i>DR. DUGGANI YUVARAJU, DR. DUGGANI SUBRAMANYAM & DR. S. DURGA RAO</i>	1
2.	AN IMPROVED CONSTRUCTION TECHNOLOGY AND MANAGEMENT (CTM) SYSTEM <i>RAKESH GUPTA, SUBHASH K. GUPTA, RAMESH KUMAR BATRA & ASHUTOSH TRIVEDI</i>	5
3.	USAGE PATTERNS OF COSMETIC (FASHIONABLE) HERBAL PERSONAL CARE PRODUCTS (HPCP): A MICRO LEVEL FIELD STUDY IN MYSORE AND BANGALORE <i>GITY SAKI & B. SHIVARAJ</i>	11
4.	PROFITABILITY PERFORMANCE OF NAGARJUNA FERTILIZERS AND CHEMICALS LIMITED: A CASE STUDY <i>S. SHOBHA & DR. P. MOHAN REDDY</i>	14
5.	IMPEDIMENTS FOR THE DEVELOPMENT OF AGRICULTURAL COOPERATIVES IN TOKE KUTAYE WOREDA/DISTRICT/, WEST SHEWA ZONE, OROMIYA REGION, ETHIOPIA <i>ASSEFA GEBRE HABTE WOLD</i>	18
6.	WORKPLACE FRIENDSHIP: IT'S COMPLICATED <i>DR. MEGHA SHARMA</i>	29
7.	LIGHT ENGINEERING UNITS IN NORTH MALABAR, KERALA, AND EMPLOYMENT GENERATION <i>DR. PREMAVALLI P.V</i>	31
8.	PUBLIC Vs. PRIVATE INSURANCE PLAYERS IN INDIA <i>K. PRASAD & V. SRAVANTHI</i>	37
9.	IMPACT OF OPTION INTEREST AND PUT- CALL RATIO INFORMATION IN DERIVATIVES MARKET: AN EMPIRICAL STUDY OF OPTION AND FUTURE MARKET, NSE (NATIONAL STOCK EXCHANGE OF INDIA) <i>SWATI MEHTA & NILESH PATEL</i>	40
10.	FINANCIAL HEALTH OF HOUSING FINANCE INSTITUTIONS IN INDIA: AN EMPIRICAL EVALUATION <i>DR. S. THENMOZHI & DR. N. DEEPA</i>	45
11.	ROLE OF SCB's IN REACHING THE UNREACHED THROUGH FINANCIAL INCLUSION: AN INDIAN OVERVIEW <i>PRAVEEN A. KORBU</i>	49
12.	INFLATION MANAGEMENT IS THE KEY TO DEFLATE INFLATION PRESSURE <i>DR. ACHUT P. PEDNEKAR</i>	53
13.	RETRENCHMENT AND STRIKES IN SICK UNIT: A CASE STUDY ON LML <i>GURPREET KAUR SAINI</i>	57
14.	PERFORMANCE APPRAISAL SYSTEM IN A GARMENT MANUFACTURING ENTERPRISE, TIRUPUR <i>K. MANIKANDAN, R. VIJAYA RAJYA SYNTHIA & S.R. DHIVYA LAKSHMI</i>	64
15.	THEORETICAL AUDIT FRAME WORK FOR MEASURING BRAND LOYALTY IN DAIRY INDUSTRY <i>N.GEETHA & DR. R. SUBRAMANIYA BHARATHY</i>	67
16.	EFFECTIVENESS OF TRAINING & DEVELOPMENT PROGRAM IN PHARMACEUTICAL SECTOR WITH A CASE STUDY ON DIFFERENT INDUSTRIES <i>SHIKHA BATRA, DR. AMBIKA BHATIA & ANKITA GAUTAM</i>	73
17.	SELFISH NODE HANDLING IN THE CONTEXT OF REPLICA ALLOCATION IN MANET'S <i>K.NAVATHA, N.SRAVANTHI, L.SUNITHA & E. VENKATA RAMANA</i>	80
18.	TECHNICAL EFFICIENCY IN TEFF PRODUCTION BY SMALL SCALE FARMERS IN TIGRAY (CASE OF RAYA ALAMATA WEREDA) <i>TEFERA KEBEDE, GEBEREMESKEL BERHANE & MENASBO GEBRU</i>	85
19.	IMPORTANCE OF BRANDING FOR SOCIAL ENTERPRISES <i>SHIVANI VAID & SWATI GUPTA</i>	98
20.	BITCOIN: AN OVER VIEW IN INDIAN CONTEXT <i>PRIYANKA MEHTANI</i>	101
	REQUEST FOR FEEDBACK & DISCLAIMER	103

CHIEF PATRON

PROF. K. K. AGGARWAL

Chairman, Malaviya National Institute of Technology, Jaipur
(An institute of National Importance & fully funded by Ministry of Human Resource Development, Government of India)
Chancellor, K. R. Mangalam University, Gurgaon
Chancellor, Lingaya's University, Faridabad
Founder Vice-Chancellor (1998-2008), Guru Gobind Singh Indraprastha University, Delhi
Ex. Pro Vice-Chancellor, Guru Jambheshwar University, Hisar

FOUNDER PATRON

LATE SH. RAM BHAJAN AGGARWAL

Former State Minister for Home & Tourism, Government of Haryana
Former Vice-President, Dadri Education Society, Charkhi Dadri
Former President, Chinar Syntex Ltd. (Textile Mills), Bhiwani

CO-ORDINATOR

DR. SAMBHAV GARG

Faculty, Shree Ram Institute of Business & Management, Urjani

ADVISORS

DR. PRIYA RANJAN TRIVEDI

Chancellor, The Global Open University, Nagaland

PROF. M. S. SENAM RAJU

Director A. C. D., School of Management Studies, I.G.N.O.U., New Delhi

PROF. S. L. MAHANDRU

Principal (Retd.), Maharaja Agrasen College, Jagadhri

EDITOR

PROF. R. K. SHARMA

Professor, Bharti Vidyapeeth University Institute of Management & Research, New Delhi

EDITORIAL ADVISORY BOARD

DR. RAJESH MODI

Faculty, Yanbul Industrial College, Kingdom of Saudi Arabia

PROF. PARVEEN KUMAR

Director, M.C.A., Meerut Institute of Engineering & Technology, Meerut, U. P.

PROF. H. R. SHARMA

Director, Chhatrapati Shivaji Institute of Technology, Durg, C.G.

PROF. MANOHAR LAL

Director & Chairman, School of Information & Computer Sciences, I.G.N.O.U., New Delhi

PROF. ANIL K. SAINI

Chairperson (CRC), Guru Gobind Singh I. P. University, Delhi

PROF. R. K. CHOUDHARY

Director, Asia Pacific Institute of Information Technology, Panipat

DR. ASHWANI KUSH

Head, Computer Science, University College, Kurukshetra University, Kurukshetra

DR. BHARAT BHUSHAN

Head, Department of Computer Science & Applications, Guru Nanak Khalsa College, Yamunanagar

DR. VIJAYPAL SINGH DHAKA

Dean (Academics), Rajasthan Institute of Engineering & Technology, Jaipur

DR. SAMBHAVNA

Faculty, I.I.T.M., Delhi

DR. MOHINDER CHAND

Associate Professor, Kurukshetra University, Kurukshetra

DR. MOHENDER KUMAR GUPTA

Associate Professor, P.J.L.N. Government College, Faridabad

DR. SAMBHAV GARG

Faculty, Shree Ram Institute of Business & Management, Urjani

DR. SHIVAKUMAR DEENE

Asst. Professor, Dept. of Commerce, School of Business Studies, Central University of Karnataka, Gulbarga

DR. BHAVET

Faculty, Shree Ram Institute of Business & Management, Urjani

ASSOCIATE EDITORS

PROF. ABHAY BANSAL

Head, Department of Information Technology, Amity School of Engineering & Technology, Amity University, Noida

PROF. NAWAB ALI KHAN

Department of Commerce, Aligarh Muslim University, Aligarh, U.P.

ASHISH CHOPRA

Sr. Lecturer, Doon Valley Institute of Engineering & Technology, Karnal

TECHNICAL ADVISOR

AMITA

Faculty, Government M. S., Mohali

FINANCIAL ADVISORS

DICKIN GOYAL

Advocate & Tax Adviser, Panchkula

NEENA

Investment Consultant, Chambaghat, Solan, Himachal Pradesh

LEGAL ADVISORS

JITENDER S. CHAHAL

Advocate, Punjab & Haryana High Court, Chandigarh U.T.

CHANDER BHUSHAN SHARMA

Advocate & Consultant, District Courts, Yamunanagar at Jagadhri

SUPERINTENDENT

SURENDER KUMAR POONIA

CALL FOR MANUSCRIPTS

We invite unpublished novel, original, empirical and high quality research work pertaining to recent developments & practices in the areas of Computer Science & Applications; Commerce; Business; Finance; Marketing; Human Resource Management; General Management; Banking; Economics; Tourism Administration & Management; Education; Law; Library & Information Science; Defence & Strategic Studies; Electronic Science; Corporate Governance; Industrial Relations; and emerging paradigms in allied subjects like Accounting; Accounting Information Systems; Accounting Theory & Practice; Auditing; Behavioral Accounting; Behavioral Economics; Corporate Finance; Cost Accounting; Econometrics; Economic Development; Economic History; Financial Institutions & Markets; Financial Services; Fiscal Policy; Government & Non Profit Accounting; Industrial Organization; International Economics & Trade; International Finance; Macro Economics; Micro Economics; Rural Economics; Co-operation; Demography; Development Planning; Development Studies; Applied Economics; Development Economics; Business Economics; Monetary Policy; Public Policy Economics; Real Estate; Regional Economics; Political Science; Continuing Education; Labour Welfare; Philosophy; Psychology; Sociology; Tax Accounting; Advertising & Promotion Management; Management Information Systems (MIS); Business Law; Public Responsibility & Ethics; Communication; Direct Marketing; E-Commerce; Global Business; Health Care Administration; Labour Relations & Human Resource Management; Marketing Research; Marketing Theory & Applications; Non-Profit Organizations; Office Administration/Management; Operations Research/Statistics; Organizational Behavior & Theory; Organizational Development; Production/Operations; International Relations; Human Rights & Duties; Public Administration; Population Studies; Purchasing/Materials Management; Retailing; Sales/Selling; Services; Small Business Entrepreneurship; Strategic Management Policy; Technology/Innovation; Tourism & Hospitality; Transportation Distribution; Algorithms; Artificial Intelligence; Compilers & Translation; Computer Aided Design (CAD); Computer Aided Manufacturing; Computer Graphics; Computer Organization & Architecture; Database Structures & Systems; Discrete Structures; Internet; Management Information Systems; Modeling & Simulation; Neural Systems/Neural Networks; Numerical Analysis/Scientific Computing; Object Oriented Programming; Operating Systems; Programming Languages; Robotics; Symbolic & Formal Logic; Web Design and emerging paradigms in allied subjects.

Anybody can submit the **soft copy** of unpublished novel; original; empirical and high quality **research work/manuscript anytime** in **M.S. Word format** after preparing the same as per our **GUIDELINES FOR SUBMISSION**; at our email address i.e. infoijrcm@gmail.com or online by clicking the link **online submission** as given on our website ([FOR ONLINE SUBMISSION, CLICK HERE](#)).

GUIDELINES FOR SUBMISSION OF MANUSCRIPT

1. **COVERING LETTER FOR SUBMISSION:**

DATED: _____

THE EDITOR
IJRCM

Subject: SUBMISSION OF MANUSCRIPT IN THE AREA OF

(e.g. Finance/Marketing/HRM/General Management/Economics/Psychology/Law/Computer/IT/Engineering/Mathematics/other, please specify)

DEAR SIR/MADAM

Please find my submission of manuscript entitled '_____ ' for possible publication in your journals.

I hereby affirm that the contents of this manuscript are original. Furthermore, it has neither been published elsewhere in any language fully or partly, nor is it under review for publication elsewhere.

I affirm that all the author (s) have seen and agreed to the submitted version of the manuscript and their inclusion of name (s) as co-author (s).

Also, if my/our manuscript is accepted, I/We agree to comply with the formalities as given on the website of the journal & you are free to publish our contribution in any of your journals.

NAME OF CORRESPONDING AUTHOR:

Designation:
Affiliation with full address, contact numbers & Pin Code:
Residential address with Pin Code:
Mobile Number (s):
Landline Number (s):
E-mail Address:
Alternate E-mail Address:

NOTES:

- a) The whole manuscript is required to be in **ONE MS WORD FILE** only (pdf. version is liable to be rejected without any consideration), which will start from the covering letter, inside the manuscript.
- b) The sender is required to mention the following in the **SUBJECT COLUMN** of the mail:
New Manuscript for Review in the area of (Finance/Marketing/HRM/General Management/Economics/Psychology/Law/Computer/IT/Engineering/Mathematics/other, please specify)
- c) There is no need to give any text in the body of mail, except the cases where the author wishes to give any specific message w.r.t. to the manuscript.
- d) The total size of the file containing the manuscript is required to be below **500 KB**.
- e) Abstract alone will not be considered for review, and the author is required to submit the complete manuscript in the first instance.
- f) The journal gives acknowledgement w.r.t. the receipt of every email and in case of non-receipt of acknowledgment from the journal, w.r.t. the submission of manuscript, within two days of submission, the corresponding author is required to demand for the same by sending separate mail to the journal.

2. **MANUSCRIPT TITLE:** The title of the paper should be in a 12 point Calibri Font. It should be bold typed, centered and fully capitalised.

3. **AUTHOR NAME (S) & AFFILIATIONS:** The author (s) **full name, designation, affiliation (s), address, mobile/landline numbers, and email/alternate email address** should be in italic & 11-point Calibri Font. It must be centered underneath the title.

4. **ABSTRACT:** Abstract should be in fully italicized text, not exceeding 250 words. The abstract must be informative and explain the background, aims, methods, results & conclusion in a single para. Abbreviations must be mentioned in full.

5. **KEYWORDS:** Abstract must be followed by a list of keywords, subject to the maximum of five. These should be arranged in alphabetic order separated by commas and full stops at the end.
6. **MANUSCRIPT:** Manuscript must be in **BRITISH ENGLISH** prepared on a standard A4 size **PORTRAIT SETTING PAPER**. It must be prepared on a single space and single column with 1" margin set for top, bottom, left and right. It should be typed in 8 point Calibri Font with page numbers at the bottom and centre of every page. It should be free from grammatical, spelling and punctuation errors and must be thoroughly edited.
7. **HEADINGS:** All the headings should be in a 10 point Calibri Font. These must be bold-faced, aligned left and fully capitalised. Leave a blank line before each heading.
8. **SUB-HEADINGS:** All the sub-headings should be in a 8 point Calibri Font. These must be bold-faced, aligned left and fully capitalised.
9. **MAIN TEXT:** The main text should follow the following sequence:

INTRODUCTION**REVIEW OF LITERATURE****NEED/IMPORTANCE OF THE STUDY****STATEMENT OF THE PROBLEM****OBJECTIVES****HYPOTHESES****RESEARCH METHODOLOGY****RESULTS & DISCUSSION****FINDINGS****RECOMMENDATIONS/SUGGESTIONS****CONCLUSIONS****SCOPE FOR FURTHER RESEARCH****ACKNOWLEDGMENTS****REFERENCES****APPENDIX/ANNEXURE**

It should be in a 8 point Calibri Font, single spaced and justified. The manuscript should preferably not exceed **5000 WORDS**.

10. **FIGURES & TABLES:** These should be simple, crystal clear, centered, separately numbered & self explained, and **titles must be above the table/figure. Sources of data should be mentioned below the table/figure.** It should be ensured that the tables/figures are referred to from the main text.
11. **EQUATIONS:** These should be consecutively numbered in parentheses, horizontally centered with equation number placed at the right.
12. **REFERENCES:** The list of all references should be alphabetically arranged. The author (s) should mention only the actually utilised references in the preparation of manuscript and they are supposed to follow **Harvard Style of Referencing**. The author (s) are supposed to follow the references as per the following:
 - All works cited in the text (including sources for tables and figures) should be listed alphabetically.
 - Use **(ed.)** for one editor, and **(ed.s)** for multiple editors.
 - When listing two or more works by one author, use --- (20xx), such as after Kohl (1997), use --- (2001), etc, in chronologically ascending order.
 - Indicate (opening and closing) page numbers for articles in journals and for chapters in books.
 - The title of books and journals should be in italics. Double quotation marks are used for titles of journal articles, book chapters, dissertations, reports, working papers, unpublished material, etc.
 - For titles in a language other than English, provide an English translation in parentheses.
 - The location of endnotes within the text should be indicated by superscript numbers.

PLEASE USE THE FOLLOWING FOR STYLE AND PUNCTUATION IN REFERENCES:**BOOKS**

- Bowersox, Donald J., Closs, David J., (1996), "Logistical Management." Tata McGraw, Hill, New Delhi.
- Hunker, H.L. and A.J. Wright (1963), "Factors of Industrial Location in Ohio" Ohio State University, Nigeria.

CONTRIBUTIONS TO BOOKS

- Sharma T., Kwatra, G. (2008) Effectiveness of Social Advertising: A Study of Selected Campaigns, Corporate Social Responsibility, Edited by David Crowther & Nicholas Capaldi, Ashgate Research Companion to Corporate Social Responsibility, Chapter 15, pp 287-303.

JOURNAL AND OTHER ARTICLES

- Schemenner, R.W., Huber, J.C. and Cook, R.L. (1987), "Geographic Differences and the Location of New Manufacturing Facilities," Journal of Urban Economics, Vol. 21, No. 1, pp. 83-104.

CONFERENCE PAPERS

- Garg, Sambhav (2011): "Business Ethics" Paper presented at the Annual International Conference for the All India Management Association, New Delhi, India, 19-22 June.

UNPUBLISHED DISSERTATIONS AND THESES

- Kumar S. (2011): "Customer Value: A Comparative Study of Rural and Urban Customers," Thesis, Kurukshetra University, Kurukshetra.

ONLINE RESOURCES

- Always indicate the date that the source was accessed, as online resources are frequently updated or removed.

WEBSITES

- Garg, Bhavet (2011): Towards a New Natural Gas Policy, Political Weekly, Viewed on January 01, 2012 <http://epw.in/user/viewabstract.jsp>

SELFISH NODE HANDLING IN THE CONTEXT OF REPLICA ALLOCATION IN MANET'S**K.NAVATHA****STUDENT****DEPARTMENT OF COMPUTER SCIENCE ENGINEERING****VIDYA VIKAS INSTITUTE OF TECHNOLOGY****HYDERABAD****N.SRAVANTHI****STUDENT****DEPARTMENT OF COMPUTER SCIENCE ENGINEERING****VIDYA JYOTHI INSTITUTE OF TECHNOLOGY****HYDERABAD****L.SUNITHA****ASST. PROFESSOR****DEPARTMENT OF COMPUTER SCIENCE ENGINEERING****VIDYA VIKAS INSTITUTE OF TECHNOLOGY****HYDERABAD****E. VENKATA RAMANA****ASST. PROFESSOR****DEPARTMENT OF COMPUTER SCIENCE ENGINEERING****VIDYA VIKAS INSTITUTE OF TECHNOLOGY****HYDERABAD****ABSTRACT**

In a Mobile Adhoc Network (MANET), the mobility and resource constraints of mobile nodes may lead to network partitioning and performance degradation. All mobile nodes should participate fully by sharing memory space to increase data accessibility. But, some of the nodes can act as selfish nodes, only for partial participation or fully selfish with other nodes. Such selfish nodes are handled in replica allocation.

KEYWORDS

Selfish node, SCF-Tree, mobile adhoc network.

1. INTRODUCTION

Mobile Adhoc Network is a collection of autonomous wireless devices that move unpredictably, forms a temporary network without any fixed backbone infrastructure. In these networks each node acts as an end system and a router. These nodes are capable of both single hop & multi hop communication.


In MANET, the nodes are moving frequently. This lead to frequent network partitioning, causing some data to be often inaccessible to some of the nodes. Hence, data accessibility is often an important performance metric in MANET. Data are replicated at nodes other than owners to increase data accessibility to cope with frequent network partitions and also reduces query response time, if mobile nodes in a MANET have sufficient memory to store both all the replicas and the original data.

Storing same replica by all nodes will lead to decrease of data accessibility. Hence, to maximize data accessibility, a node should not hold the same replica that is also held by many other nodes. This will increase its own query delay.

A selfish node may not share its own memory space to store replica for the benefit of other nodes.

2. BEHAVIOR OF SELFISH NODES IN MANET

Selfishness for nodes are categorized into two types based on their behavior.




1. Fully selfish nodes-The nodes do not hold replicas allocated by other nodes, but allocate replicas to other nodes for their accessibility.
2. Partial selfish nodes-The nodes use their memory space partially for allocated replicas by other nodes. These nodes allocate replicas to other nodes for their accessibility.

Each node in a MANET has limited memory locally and each node acts as a data provider, it provides several data items and as well as a data consumer. Each node holds data item replicas and maintains the replicas in local memory space. The replicas are relocated in a specific period. There are 'm' nodes, N_1, N_2, \dots, N_m . Any node can freely joins in a MANET. A mobile adhoc network is an undirected graph $G=(IN, IL)$. Where 'IN' is a finite set of nodes and 'IL' is a finite set of communication links.

- Each node in a MANET has a unique identifier and they are denoted by $N=\{N_1, N_2, \dots, N_m\}$, where 'm' is the total number of nodes.

- Each node holds data items of equal size, and first data item in a memory is considered as its original data. Every data item has a unique identifier, denoted by $D=\{D_1,D_2,\dots,D_n\}$, where 'n' is the total number of data items. The remaining data items in a memory are treated as replicas for its particular node.
 - Each node N_i has its own access frequency for data item and it does not change always.
- When a node N_i sends a request (query) for accessing of data item, first, the search has takes place in its own memory. The request is successful, when the node N_i holds the data item as its original data item (or) replica, otherwise the request is broadcasted. The request is also successful, when the node N_i gets reply from its adjacent nodes connected to N_i with one hop or multi hops. Otherwise, the request fails.

FIG. 1: SELFISH REPLICA ALLOCATION



In above figure, there are 6 nodes name as N_1, N_2, \dots, N_6 and their memory spaces are M_1, M_2, \dots, M_6 . Each node access the frequency information from the access frequency table.

TABLE 1: ACCESS FREQUENCY OF NODES

Data	Nodes					
	N1	N2	N3	N4	N5	N6
D1	0.65	0.25	0.17	0.22	0.31	0.24
D2	0.44	0.62	0.41	0.40	0.42	0.46
D3	0.35	0.44	0.50	0.25	0.45	0.37
D4	0.31	0.15	0.10	0.60	0.09	0.10
D5	0.51	0.41	0.43	0.38	0.71	0.20
D6	0.08	0.07	0.05	0.15	0.20	0.62
D7	0.38	0.32	0.37	0.33	0.40	0.32
D8	0.22	0.33	0.21	0.23	0.24	0.17
D9	0.18	0.16	0.19	0.17	0.24	0.21
D10	0.09	0.08	0.06	0.11	0.12	0.09

Where each memory location contains 3 data items. First data item is a original one, and the remaining 2 data items are replica allocated. In the above figure, Node 'N3' behaves 'selfish' by maintaining M_3' , instead of M_3 to prefer the locally frequently accessed data for low query delay. Due to the selfish behavior, D_3, D_5, D_2 , the three top most local frequent accessed items are maintained instead of D_3, D_9, D_2 . The nodes N_1, N_2, N_4 in the above figure are no longer able to access D_9 . This will results in degradation of data accessibility. Node 'N4' behaves partially selfish. This want to hold 'D2' locally as one of the locally frequently accessed data items. So, in this case N_4 uses a part of its storage for its own frequently accessed data, where the remaining part is used for the benefit of overall data accessibility. So that N_4 is decided to maintain M_4' instead of M_4 . Data accessibility is degraded with the partial selfishness also. The nodes N_1, N_2, N_3 are cannot access D_{10} because of partial selfishness in 'N4'.

3. HANDLING SELFISH NODES IN REPLICA ALLOCATION

To handle selfish nodes in MANET, 3 steps have to follow. They are

1. SELFISH NODE DETECTION
2. SCF-TREE CONSTRUCTION
3. REPLICA ALLOCATION

3.1 SELFISH NODE DETECTION

In MANET, each node detects the selfish nodes based on credit risk.

$$\text{Credit Risk} = \text{expected risk} / \text{expected value}$$

The size of shared memory space and the number of shared data items are used to represent 'expected risk' and the node specific features are used to represent 'expected value'. Algorithm for selfish node detection is given in List 1.

LIST 1: ALGORITHM FOR SELFISH NODE DETECTION

1. Detection()
2. For(each connected N_k) {
3. If($nCR_{ki} > \delta$) N_k is selfish node
4. Else N_k is non selfish node
5. Wait until replica allocation is done;
6. For(each connected node N_k){
7. If(N_i has allocated replica to N_k)
8. ND_{ik} =Number of allocated replica;
9. SS_{ik} =Total size of allocated replica;
10. Else {
11. ND_{ik} =1;
12. SS_{ik} =Size of data item;}}

Every node should execute this algorithm in order to detect the selfish node at relocation period. The following algorithm is to update selfish features in selfish node.

LIST 2: ALGORITHM FOR UPDATE SELFISH FEATURES

```

1. SF_Update() {
2. For(during the predefined time w) {
3. If(the query is served by the expected node Nk)
4.   Pik--;
5. If(the query is served by the unexpected node Nj)
6.   NDij +=1;
7.   SSij +=(Data item size);}
8. If(query is not served by the expected node Nk) {
9.   Pjk++;
10.  NDik -=1;
11.  SSik -=(data item size); } }
    
```

The algorithm in list2 is executed to update the selfishness features in selfish node.

3.2 SCF-TREE CONSTRUCTION

Selfish nodes are not participated in Self Centered Friendship Tree based replica allocation. Degree of selfishness should be measured by using credit risk score for each non selfish node participated.

LIST3 : ALGORITHM FOR SCF-TREE CONSTRUCTION


```

1. SCF-tree_Construct() {
2. Append Ni to SCF-tree as root node;
3. Checkchildnodes(Ni);
4. Return SCF-Tree;}
5. Checkchildnodes(Nj) {
6. For(each node Na belong to INja) {
7.   If (d < distance between Na and the root )
8.     Continue;
9.   Else if(Na is an ancestor of Nj in Tiscf)
10.    Continue;
11.  Else { append Na to Tiscf as a child of Nj;
12.    Checkchildnodes(Na); } } }
    
```

3.2.1 SAMPLE SCF-TREE CONSTRUCTION

In this example, we assume all the nodes are non-selfish in nature. Multiple roots are possible among the nodes in a MANET. First, select one node as root node for SCF-Tree. The neighbors of root nodes are its Childs. Later connect its neighbors as sub Childs and so on.

FIG 2.1: GRAPH



3.3 REPLICA ALLOCATION

After construction of SCF-Tree, a node allocates replica at every relocation period.

The following algorithm list out the steps for replica allocation. List 4.

FIG 2.2:SCF-TREE OF N1

```

1. Allocate_replica()
2. Li=make_priority(TISCf);
3. For(each data item belong to IDi) {
4.   If(Ms is not full)
5.     Allocate replica of the data to Ms;
6.   Else {
7.     Allocate replica of the data to the target node;
8.     If(Mp is not full)
9.       Allocate replica of the data to Mp;
10.  } }while(during relocation period){
11.  If(Nk requests for the allocation of Dq)
12.    allocate_replica_others(Nk,Dq); }
13.  make_priority(TISCf){
14.  for(all vertices in TISCf){
15.    select a vertex in TISCf in order of BFS;
16.    append the selected vertex id to Li;}
17.  return Li;}
18.  allocate_replica_others(Nk,Dq){
    
```


4. PERFORMANCE EVOLUTION

The results are noted by made an experiment in a PC with 3GB RAM and CORE2 dual processor. The simulations are tested using NS2. Creation of MANET, detection of selfish node, selfish node handling while allocating replicas are shown in simulations. The parameters considered for simulations are shown in table2.

TABLE 2: SIMULATION PARAMETERS


Parameter(unit)	Value(default)
No.of nodes	40
No.of data items	40
Radius of communication Range	1~19(7)
Size of network	50*50
Size of memory space	2~40(10)
Percentage of selfish Nodes	0~100(70)
Maximum velocity of Nodes	1
Relocation period	64~8,192(256)
Zipf parameter	0.8

FIG. 3: RELOCATION PERIOD VS. OVERALL SELFISHNESS ALARM




In Fig.3. X-axis represents relocation period and Y-axis represents overall selfishness alarm. The results shows that overall selfishness alarm of DCG+ shows very less.

FIG. 4: SIZE OF MEMORY VS. OVERALL SELFISHNESS ALARM




In Fig.4. X-axis represents Size of memory and Y-axis represents overall selfishness alarm. The result shows that overall selfishness alarm of DCG+ shows very less.

FIG. 5: VARYING RELOCATION PERIOD VS. HOP COUNT OF DATA TRANSMISSION




In Fig 5. X-axis represents Relocation period and Y-axis represents hop count of data transmission.

FIG. 6: VARYING SIZE OF MEMORY VS. HOP COUNT OF DATA TRANSMISSION



In Fig.6. X-axis represents size of memory space and Y-axis represents hop count of data transmission. The results shows that, both size of memory and hop count of data transmission are directly proportional. Communication cost of SAF is very less when compared with other techniques.

FIG. 7: TIME Vs. ENERGY CONSUMPTION



In Fig.7. X-axis represents time in milli seconds and Y-axis represents energy consumption. Time and energy are indirect proportional.

5. CONCLUSION

MANET is a network with collection of movable nodes. Some of the nodes are selfish in nature. These selfish nodes are making a problem in replica allocation. The selfish nodes are detected and handled by the algorithms mentioned. The simulation results are showing that the algorithms are capable of reducing query delay and improve the data accessibility and overall performance.

6. REFERENCES

1. A text book on Mobile Adhoc Networks: Current status and Future Trends by Jonathan Loo, Jaime Lloret Mauri, Jesús Hamilton Ortiz
2. Brian B. Luu, Barry J. O'Brien, David G. Baran, and Rommie L. Hardy, "A Soldier-Robot AdHoc Network" Proceedings of the Fifth Annual IEEE International Conference on Pervasive Computing and Communications Workshops (PerComW'07)
3. Djamel DJENOURI, NadjibBADACHE, "A Gradual Solution to Detect Selfish Nodes in Mobile Ad hoc Networks," Proc.14th European Conf. Research in computer networks, pp.355-370, 2009
4. Jae-Ho Choi, Kyu-Sun Shim, SangKeun Lee, and Kun-Lung Wu, Fellow, IEEE, "Handling Selfishness in Replica Allocation over a Mobile AdHoc Network", IEEE Transactions on mobile computing, vol.11, no. 2, Feb. 2012.
5. K. Balakrishnan, J. Deng, and P.K. Varshney, "TWOACK: Preventing Selfishness in Mobile Ad Hoc Networks," Proc. IEEE Wireless Comm. and Networking, pp. 2137-2142, 2005.
6. M. Li, W.-C. Lee, and A. Sivasubramaniam, "Efficient Peer-to-Peer Information Sharing over Mobile Ad Hoc Networks," Proc. World Wide Web (WWW) Workshop Emerging Applications for Wireless and Mobile Access, pp. 2-6, 2004.
7. Murthy, S. and J.J. Garcia-Luna-Aceves, "An Efficient Routing Protocol for Wireless Networks", ACM Mobile Networks and App. J., Special Issue on Routing in Mobile Communication Networks, Oct. 1996, pp. 183-97
8. S. Marti, T. Giuli, K. Lai, and M. Baker, "Mitigating Routing Misbehavior in Mobile Ad hoc Networks," Proc. ACM MobiCom, pp. 255-265, 2000.
9. V.P.Sundararajan¹, Dr.A.Shanmugam², Modeling the Behavior of Selfish Forwarding Nodes to Stimulate Cooperation in MANET, International Journal of Network Security & Its Applications (IJNSA), Volume 2, Number 2, April 2010
10. Y. Yoo and D.P. Agrawal, "Why Does It Pay to be Selfish in a MANET," IEEE Wireless Comm., vol. 13, no. 6, pp. 87-97, Dec. 2006.
11. Yongguang Zhang and Wenke Lee. Intrusion detection in wireless ad-hoc networks. In Mobile Computing and Networking, pages 275–283, 2000. also available as <http://citeseer.nj.nec.com/zhang00intrusion.html>.

REQUEST FOR FEEDBACK

Dear Readers

At the very outset, International Journal of Research in Computer Application & Management (IJRCM) acknowledges & appreciates your efforts in showing interest in our present issue under your kind perusal.

I would like to request you to supply your critical comments and suggestions about the material published in this issue as well as on the journal as a whole, on our E-mail infoijrcm@gmail.com for further improvements in the interest of research.

If you have any queries please feel free to contact us on our E-mail infoijrcm@gmail.com.

I am sure that your feedback and deliberations would make future issues better – a result of our joint effort.

Looking forward an appropriate consideration.

With sincere regards

Thanking you profoundly

Academically yours

Sd/-
Co-ordinator

DISCLAIMER

The information and opinions presented in the Journal reflect the views of the authors and not of the Journal or its Editorial Board or the Publishers/Editors. Publication does not constitute endorsement by the journal. Neither the Journal nor its publishers/Editors/Editorial Board nor anyone else involved in creating, producing or delivering the journal or the materials contained therein, assumes any liability or responsibility for the accuracy, completeness, or usefulness of any information provided in the journal, nor shall they be liable for any direct, indirect, incidental, special, consequential or punitive damages arising out of the use of information/material contained in the journal. The journal, nor its publishers/Editors/Editorial Board, nor any other party involved in the preparation of material contained in the journal represents or warrants that the information contained herein is in every respect accurate or complete, and they are not responsible for any errors or omissions or for the results obtained from the use of such material. Readers are encouraged to confirm the information contained herein with other sources. The responsibility of the contents and the opinions expressed in this journal is exclusively of the author (s) concerned.

ABOUT THE JOURNAL

In this age of Commerce, Economics, Computer, I.T. & Management and cut throat competition, a group of intellectuals felt the need to have some platform, where young and budding managers and academicians could express their views and discuss the problems among their peers. This journal was conceived with this noble intention in view. This journal has been introduced to give an opportunity for expressing refined and innovative ideas in this field. It is our humble endeavour to provide a springboard to the upcoming specialists and give a chance to know about the latest in the sphere of research and knowledge. We have taken a small step and we hope that with the active co-operation of like-minded scholars, we shall be able to serve the society with our humble efforts.

Our Other Journals

