INTERNATIONAL JOURNAL OF RESEARCH IN **COMMERCE, IT & MANAGEMENT**



A Monthly Double-Blind Peer Reviewed (Refereed/Juried) Open Access International e-Journal - Included in the International Serial Directories

Index Copernicus Publishers Panel, Poland with IC Value of 5.09 & number of libraries all around the world.

Circulated all over the world & Google has verified that scholars of more than 2840 Cities in 164 countries/territories are visiting our journal on regular basis.

CONTENTS

Sr. No.	TITLE & NAME OF THE AUTHOR (S)	Page No.
1.	ADEQUACY OF KNOWLEDGE AND ATTITUDE TOWARDS INFORMATION TECHNOLOGY OF STUDENT LIBRARY USERS AT SELECTED COLLEGES AND	1
	UNIVERSITIES IN CALABARZON, PHILIPPINES	
	DR. MA. LINDIE D. MASALINTO, DR. MA. CONSUELO M. OBILLO, RUFO S CALIXTRO JR., JOSEFA G. CARRILLO & MA. XENIA Z. BITERA	
2.	MOBILITY IN HETEROGENEOUS WIRELESS NETWORK USING HMAC	4
3.	C. SUGANTHI & DR. C. MANOHARAN A STUDY ON CONSUMERS PERCEPTION TOWARDS THE PURCHASE DECISION OF TWO WHEELER MOTORCYCLES IN NELLORE DISTRICT, ANDHRA	9
Э.	PRADESH	9
	D.V.RAMANA & DR. PARA SUBBAIAH	
4.	OPTIMIZING THE DE-DUPLICATION FOLIAGE IMAGE ACCESS IN STORAGE SYSTEMS	15
	CHITTALA RAMA SATYA & B.VIJAYA KUMAR	
5.	A STUDY ON THE IMPACT OF E TAILERS ON UNORGANISED AND ORGANISED RETAILERS WITH REFERENCE TO ELECTRONIC GOODS	18
6.	A MODERN CLASSIFICATION OF PRICING STRATEGIES OF RETAILERS	24
Ο.	SREELATA, N. V. NARASIMHAM & DR. M. K. GUPTA	24
7.	LEADERSHIP CONCEPT: AN OPINION SURVEY IN A PRIVATE SECTOR AND GOVERNMENT SECTOR	30
	DR. E. LOKANADHA REDDY & DR. G HARANATH	
8.	MARKETING MIX: A REVIEW ON THE 'P'S OF MARKETING	37
_	M. VASUDEVAN, DR. V. M. SENTHILKUMAR & K.SASIKUMAR	40
9.	SECURING A BIOMETRIC TRAIT: A CASE STUDY ON FINGER PRINTS MADHU CHAUHAN & DR. R. P. SAXENA	40
10.	INFORMATION AND COMMUNICATION TECHNOLOGY AND THE PERFORMANCE OF SMALL AND MEDIUM ENTERPRISES IN NASARAWA STATE,	43
	NIGERIA	
	UMARU DANLADI MOHAMMED & CHINELO GRACE OBELEAGU-NZELIBE	
11.	RELIABILITY TEST PLANS BASED ON LOG-LOGISTIC DISTRIBUTION	49
	R.R.L.KANTAM, B.SRIRAM & A. SUHASINI	
12.	MIGRATION AND SUSTAINABLE DEVELOPMENT	58
12	DR. H.R.UMA, MADHU G.R. & MAHAMMAD HABEEB THE ANTECEDENTS OF BRAND LOYALTY: AN EMPIRICAL STUDY ON AIRTEL CELLULAR SERVICES	61
13.	DR. P. SUJATHA	01
14.	STATUS OF BI SOLUTIONS AT SELECTED BRANCHES OF BANKS IN RAJASTHAN	66
	DR. AZIMUDDIN KHAN	
15 .	A STUDY ON USAGE OF GEOSPATIAL TECHNOLOGIES IN POWER UTILITY	71
16	VARUN PRAKASH	7.0
16.	AN IMPROVED INVISIBLE WATERMARKING TECHNIQUE FOR IMAGE AUTHENTICATION DASU VAMAN RAVI PRASAD	76
17.	ORGANIZATIONAL STRUCTURE, RESPONSIBILITY, MOTIVATION LEVEL AND JOB SATISFACTION OF SELF-FINANCING ENGINEERING COLLEGES BY	82
	USING MATHEMATICAL MODELING	
	RAVI DATT, DR. SUNIL DUTT, DR. SITA RAM & SANTOSH KUMARI	
18 .	DESIGN AND IMPLEMENTATION OF A REAL-TIME VEHICLE TRACKING SYSTEM	86
40	MAITANMI OLUSOLA STEPHEN, OGUNLERE SAMSON OJO, DR. ADEKUNLE YINKA, GREGORY ONWODI & MALASOWE BRIDGET	00
19.	PERFORMANCE EVALUATION OF MANET ROUTING PROTOCOLS WITH SCALABILITY FOR E-MAIL THROUGHPUT TRAFFIC USING OPNET MODELER MANDEEP SINGH & BALWINDER SINGH	93
20	DETAILED INVESTIGATION OF RESIDENTIAL SATISFACTION IN APARTMENT'S MANAGEMENT SERVICE	98
_0.	P. BALATHANDAYUTHAM & DR. R. SRITHARAN	
21.	A STUDY ON THE PSYCHOLOGICAL IMPACT OF REDUNDANCY ON SURVIVORS	100
	S.SOWJANYA	
22.	A STUDY ON SECURITY THREAT AWARENESS AMONG STUDENTS USING SOCIAL NETWORKING SITES, BY APPLYING DATA MINING TECHNIQUES	103
22	A.PAPPU RAJAN ELECTRONIC REMITTANCE SYSTEM IN INDIA: CHANGING PARADIGMS OF PAYMENT MECHANISMS IN INDIA	107
23.	SAMIR	107
24.	E-SATISFACTION AND E-LOYALTY OF CONSUMERS SHOPPING ONLINE	111
	R. SATHISH KUMAR	
25 .	STUDENTS PERCEPTION TOWARDS e-BANKING: SPECIAL REFERENCE TO KOLLAM DISTRICT IN KERALA	114
	NIJAZ NIZAR	
26.	TECHNOLOGICAL DRIFT TOWARDS SMART DEVICES: AN OVERVIEW	118
27	MUKESH H.V & HALASWAMY D. NAIK MOTIVATION AS AN EFFECTIVE TOOL FOR ORGANIZATIONAL DEVELOPMENT IN NIGERIA	121
_,.	DR. ABDULSALAM JIBRIL & YUSUF SAJO	
28.	AN UNDERSTANDING OF DUNNING'S OWNERSHIP-LOCATION-INTERNALISATION (OLI) ECLECTIC THEORY OF MULTINATIONAL COMPANIES	124
	JABES GABBIS ODHIAMBO KOTIENO	
29.	AUTHORING TOOL: KEY FOR E-LEARNING SYSTEM DEVELOPMENT	128
20	JAVED WASIM ANTECEDENTS AND CONSEQUENCES OF WORK EVHALISTION (IT SECTOR)	424
30.	ANTECEDENTS AND CONSEQUENCES OF WORK-EXHAUSTION (IT SECTOR) UMAIR NAJAM & FAISAL ABBAS	131
	REQUEST FOR FEEDBACK	136
	RELILIESI BIJK BEELIKAI K	,

CHIEF PATRON

PROF. K. K. AGGARWAL

Chairman, Malaviya National Institute of Technology, Jaipur
(An institute of National Importance & fully funded by Ministry of Human Resource Development, Government of India)

Chancellor, K. R. Mangalam University, Gurgaon

Chancellor, Lingaya's University, Faridabad

Founder Vice-Chancellor (1998-2008), Guru Gobind Singh Indraprastha University, Delhi

Ex. Pro Vice-Chancellor, Guru Jambheshwar University, Hisar

FOUNDER PATRON

LATE SH. RAM BHAJAN AGGARWAL

Former State Minister for Home & Tourism, Government of Haryana Former Vice-President, Dadri Education Society, Charkhi Dadri Former President, Chinar Syntex Ltd. (Textile Mills), Bhiwani

CO-ORDINATOR

AMITA

Faculty, Government M. S., Mohali

ADVISORS

DR. PRIYA RANJAN TRIVEDI

Chancellor, The Global Open University, Nagaland

PROF. M. S. SENAM RAJU

Director A. C. D., School of Management Studies, I.G.N.O.U., New Delhi

PROF. M. N. SHARMA

Chairman, M.B.A., Haryana College of Technology & Management, Kaithal

PROF. S. L. MAHANDRU

Principal (Retd.), Maharaja Agrasen College, Jagadhri

EDITOR

PROF. R. K. SHARMA

Professor, Bharti Vidyapeeth University Institute of Management & Research, New Delhi

CO-EDITOR

DR. BHAVET

Faculty, Shree Ram Institute of Business & Management, Urjani

EDITORIAL ADVISORY BOARD

DR. RAJESH MODI

Faculty, Yanbu Industrial College, Kingdom of Saudi Arabia

PROF. SANJIV MITTAL

University School of Management Studies, Guru Gobind Singh I. P. University, Delhi

PROF. ANIL K. SAINI

Chairperson (CRC), Guru Gobind Singh I. P. University, Delhi

DR. SAMBHAVNA

Faculty, I.I.T.M., Delhi

DR. MOHENDER KUMAR GUPTA

Associate Professor, P. J. L. N. Government College, Faridabad

DR. SHIVAKUMAR DEENE

Asst. Professor, Dept. of Commerce, School of Business Studies, Central University of Karnataka, Gulbarga

ASSOCIATE EDITORS

PROF. NAWAB ALI KHAN

Department of Commerce, Aligarh Muslim University, Aligarh, U.P.

PROF. ABHAY BANSAL

Head, Department of Information Technology, Amity School of Engineering & Technology, Amity University, Noida

PROF. A. SURYANARAYANA

Department of Business Management, Osmania University, Hyderabad

DR. SAMBHAV GARG

Faculty, Shree Ram Institute of Business & Management, Urjani

PROF. V. SELVAM

SSL, VIT University, Vellore

DR. PARDEEP AHLAWAT

Associate Professor, Institute of Management Studies & Research, Maharshi Dayanand University, Rohtak

DR. S. TABASSUM SULTANA

Associate Professor, Department of Business Management, Matrusri Institute of P.G. Studies, Hyderabad

SURJEET SINGH

Asst. Professor, Department of Computer Science, G. M. N. (P.G.) College, Ambala Cantt.

TECHNICAL ADVISOR

Faculty, Government M. S., Mohali

FINANCIAL ADVISORS

DICKIN GOYAL

Advocate & Tax Adviser, Panchkula

NEENA

Investment Consultant, Chambaghat, Solan, Himachal Pradesh

LEGAL ADVISORS

JITENDER S. CHAHAL

Advocate, Punjab & Haryana High Court, Chandigarh U.T.

CHANDER BHUSHAN SHARMA

Advocate & Consultant, District Courts, Yamunanagar at Jagadhri

SUPERINTENDENT

SURENDER KUMAR POONIA

CALL FOR MANUSCRIPTS

We invite unpublished novel, original, empirical and high quality research work pertaining to recent developments & practices in the areas of Computer Science & Applications; Commerce; Business; Finance; Marketing; Human Resource Management; General Management; Banking; Economics; Tourism Administration & Management; Education; Law; Library & Information Science; Defence & Strategic Studies; Electronic Science; Corporate Governance; Industrial Relations; and emerging paradigms in allied subjects like Accounting; Accounting Information Systems; Accounting Theory & Practice; Auditing; Behavioral Accounting; Behavioral Economics; Corporate Finance; Cost Accounting; Econometrics; Economic Development; Economic History; Financial Institutions & Markets; Financial Services; Fiscal Policy; Government & Non Profit Accounting; Industrial Organization; International Economics & Trade; International Finance; Macro Economics; Micro Economics; Rural Economics; Co-operation; Demography: Development Planning; Development Studies; Applied Economics; Development Economics; Business Economics; Monetary Policy; Public Policy Economics; Real Estate; Regional Economics; Political Science; Continuing Education; Labour Welfare; Philosophy; Psychology; Sociology; Tax Accounting; Advertising & Promotion Management; Management Information Systems (MIS); Business Law; Public Responsibility & Ethics; Communication; Direct Marketing; E-Commerce; Global Business; Health Care Administration; Labour Relations & Human Resource Management; Marketing Research; Marketing Theory & Applications; Non-Profit Organizations; Office Administration/Management; Operations Research/Statistics; Organizational Behavior & Theory; Organizational Development; Production/Operations; International Relations; Human Rights & Duties; Public Administration; Population Studies; Purchasing/Materials Management; Retailing; Sales/Selling; Services; Small Business Entrepreneurship; Strategic Management Policy; Technology/Innovation; Tourism & Hospitality; Transportation Distribution; Algorithms; Artificial Intelligence; Compilers & Translation; Computer Aided Design (CAD); Computer Aided Manufacturing; Computer Graphics; Computer Organization & Architecture; Database Structures & Systems; Discrete Structures; Internet; Management Information Systems; Modeling & Simulation; Neural Systems/Neural Networks; Numerical Analysis/Scientific Computing; Object Oriented Programming; Operating Systems; Programming Languages; Robotics; Symbolic & Formal Logic; Web Design and emerging paradigms in allied subjects.

Anybody can submit the soft copy of unpublished novel; original; empirical and high quality research work/manuscript anytime in M.S. Word format after preparing the same as per our GUIDELINES FOR SUBMISSION; at our email address i.e. infoijrcm@gmail.com or online by clicking the link online submission as given on our website (FOR ONLINE SUBMISSION, CLICK HERE).

GUIDELINES FOR SUBMISSION OF MANUSCRIPT

1.	COVERING LETTER FOR SUBMISSION:	
		DATED:
	THE EDITOR URCM	
	Subject: SUBMISSION OF MANUSCRIPT IN THE AREA OF.	
	(e.g. Finance/Marketing/HRM/General Management/Economics/Psychology/Law/Computer/IT/Engineering/Mathematics/other, p	lease specify)
	DEAR SIR/MADAM	
	Please find my submission of manuscript entitled '' for possible publication in your	journals.
	I hereby affirm that the contents of this manuscript are original. Furthermore, it has neither been published elsewhere in any languagunder review for publication elsewhere.	ge fully or partly, nor is i
	I affirm that all the author (s) have seen and agreed to the submitted version of the manuscript and their inclusion of name (s) as co-au	thor (s).
	Also, if my/our manuscript is accepted, I/We agree to comply with the formalities as given on the website of the journal & you contribution in any of your journals.	are free to publish ou

NAME OF CORRESPONDING AUTHOR:

Affiliation with full address, contact numbers & Pin Code:

Residential address with Pin Code:

Mobile Number (s):

Landline Number (s):

E-mail Address:

Alternate E-mail Address:

- The whole manuscript is required to be in ONE MS WORD FILE only (pdf. version is liable to be rejected without any consideration), which will start from the covering letter, inside the manuscript.
- b) The sender is required to mention the following in the **SUBJECT COLUMN** of the mail:
 - New Manuscript for Review in the area of (Finance/Marketing/HRM/General Management/Economics/Psychology/Law/Computer/IT/ Engineering/Mathematics/other, please specify)
- There is no need to give any text in the body of mail, except the cases where the author wishes to give any specific message w.r.t. to the manuscript.
- The total size of the file containing the manuscript is required to be below 500 KB.
- e) Abstract alone will not be considered for review, and the author is required to submit the complete manuscript in the first instance.
- The journal gives acknowledgement w.r.t. the receipt of every email and in case of non-receipt of acknowledgement from the journal, w.r.t. the submission of manuscript, within two days of submission, the corresponding author is required to demand for the same by sending separate mail to the journal.
- NUSCRIPT TITLE: The title of the paper should be in a 12 point Calibri Font. It should be bold typed, centered and fully capitalised.
- OR NAME (S) & AFFILIATIONS: The author (s) full name, designation, affiliation (s), address, mobile/landline numbers, and email/alternate email 3. address should be in italic & 11-point Calibri Font. It must be centered underneath the title.
- ABSTRACT: Abstract should be in fully italicized text, not exceeding 250 words. The abstract must be informative and explain the background, aims, methods, results & conclusion in a single para. Abbreviations must be mentioned in full.

- 5. **KEYWORDS**: Abstract must be followed by a list of keywords, subject to the maximum of five. These should be arranged in alphabetic order separated by commas and full stops at the end.
- 6. MANUSCRIPT: Manuscript must be in <u>BRITISH ENGLISH</u> prepared on a standard A4 size <u>PORTRAIT SETTING PAPER</u>. It must be prepared on a single space and single column with 1" margin set for top, bottom, left and right. It should be typed in 8 point Calibri Font with page numbers at the bottom and centre of every page. It should be free from grammatical, spelling and punctuation errors and must be thoroughly edited.
- 7. **HEADINGS**: All the headings should be in a 10 point Calibri Font. These must be bold-faced, aligned left and fully capitalised. Leave a blank line before each heading.
- 8. **SUB-HEADINGS**: All the sub-headings should be in a 8 point Calibri Font. These must be bold-faced, aligned left and fully capitalised.
- 9. MAIN TEXT: The main text should follow the following sequence:

INTRODUCTION

REVIEW OF LITERATURE

NEED/IMPORTANCE OF THE STUDY

STATEMENT OF THE PROBLEM

OBJECTIVES

HYPOTHESES

RESEARCH METHODOLOGY

RESULTS & DISCUSSION

FINDINGS

RECOMMENDATIONS/SUGGESTIONS

CONCLUSIONS

SCOPE FOR FURTHER RESEARCH

ACKNOWLEDGMENTS

REFERENCES

APPENDIX/ANNEXURE

It should be in a 8 point Calibri Font, single spaced and justified. The manuscript should preferably not exceed 5000 WORDS.

- 10. **FIGURES &TABLES**: These should be simple, crystal clear, centered, separately numbered & self explained, and **titles must be above the table/figure**. Sources of data should be mentioned below the table/figure. It should be ensured that the tables/figures are referred to from the main text.
- 11. **EQUATIONS**: These should be consecutively numbered in parentheses, horizontally centered with equation number placed at the right.
- 12. **REFERENCES**: The list of all references should be alphabetically arranged. The author (s) should mention only the actually utilised references in the preparation of manuscript and they are supposed to follow **Harvard Style of Referencing**. The author (s) are supposed to follow the references as per the following:
- All works cited in the text (including sources for tables and figures) should be listed alphabetically.
- Use (ed.) for one editor, and (ed.s) for multiple editors.
- When listing two or more works by one author, use --- (20xx), such as after Kohl (1997), use --- (2001), etc, in chronologically ascending order.
- Indicate (opening and closing) page numbers for articles in journals and for chapters in books.
- The title of books and journals should be in italics. Double quotation marks are used for titles of journal articles, book chapters, dissertations, reports, working
 papers, unpublished material, etc.
- For titles in a language other than English, provide an English translation in parentheses.
- The location of endnotes within the text should be indicated by superscript numbers.

PLEASE USE THE FOLLOWING FOR STYLE AND PUNCTUATION IN REFERENCES:

BOOKS

- Bowersox, Donald J., Closs, David J., (1996), "Logistical Management." Tata McGraw, Hill, New Delhi.
- Hunker, H.L. and A.J. Wright (1963), "Factors of Industrial Location in Ohio" Ohio State University, Nigeria.

CONTRIBUTIONS TO BOOKS

Sharma T., Kwatra, G. (2008) Effectiveness of Social Advertising: A Study of Selected Campaigns, Corporate Social Responsibility, Edited by David Crowther & Nicholas Capaldi, Ashgate Research Companion to Corporate Social Responsibility, Chapter 15, pp 287-303.

JOURNAL AND OTHER ARTICLES

• Schemenner, R.W., Huber, J.C. and Cook, R.L. (1987), "Geographic Differences and the Location of New Manufacturing Facilities," Journal of Urban Economics, Vol. 21, No. 1, pp. 83-104.

CONFERENCE PAPERS

 Garg, Sambhav (2011): "Business Ethics" Paper presented at the Annual International Conference for the All India Management Association, New Delhi, India, 19–22 June.

UNPUBLISHED DISSERTATIONS AND THESES

Kumar S. (2011): "Customer Value: A Comparative Study of Rural and Urban Customers," Thesis, Kurukshetra University, Kurukshetra.

ONLINE RESOURCES

Always indicate the date that the source was accessed, as online resources are frequently updated or removed.

WEBSITES

• Garg, Bhavet (2011): Towards a New Natural Gas Policy, Political Weekly, Viewed on January 01, 2012 http://epw.in/user/viewabstract.jsp

AN IMPROVED INVISIBLE WATERMARKING TECHNIQUE FOR IMAGE AUTHENTICATION

DASU VAMAN RAVI PRASAD ASSOCIATE PROFESSOR ANURAG GROUP OF INSTITUTIONS VENKATAPUR (V)

ABSTRACT

Digital Watermarking is a technique which embeds a watermark signal into the host image in order to authenticate it. In their previous work, a binary watermark pattern was constructed from the information content of the image by selecting the minimum value from every block of size 2x2, and was disordered with the help of Arnold Transform but which was not showing a fine robustness against compression and rotation operation. As a solution to this issue, an innovative watermarking scheme is proposed. According to this, the low frequency sub-band of wavelet domain and the rescaled version of original image are utilized in the watermark construction process. A scrambled version of watermark is obtained with the help of Arnold Transform. The operation of embedding and extraction of watermark is done in high frequency domain of Discrete Wavelet Transform since small modifications in this domain are not perceived by human eyes. This watermarking scheme deals with the extraction of the watermark information in the absence of original image, hence the blind scheme was obtained. Peak Signal to Noise Ratio (PSNR) and Similarity Ratio (SR) are computed to measure image quality. In addition, the competency of the proposed method is verified under common image processing operations and a comparative study is made against the previous technique.

KEYWORDS

Robust watermarking, Discrete Wavelet Transform, Arnold Transform, Image Authentication, Content based watermarking.

1. INTRODUCTION

he internet is an excellent distribution system for the digital media because of itsinexpensiveness and efficiency. Also the images can be readily shared, easily used, processed transmitted which causes serious problems such as unauthorized use and manipulation of digital content. As a result, there is the need for authentication techniques to secure digitalimages. Digital watermarking is a technique which embeds additional information called digital signature or watermark into the digital content in order to secure it. A watermark is a hidden signal added to images that can be detected or extracted later to make someaffirmation about the host image.

The major point of digital watermarking is to find the balance among the aspects such asrobustness to various attacks, security and invisibility. The invisibleness of watermarking technique is based on the intensity of embedding watermark. Better invisibleness is achieved for less intensity watermark. So we must select the optimum intensity to embed watermark. Ingeneral there is a little tradeoff between the embedding strength (the watermark robustness) and quality (the watermark invisibility). Increased robustness requires a stronger embedding, which in turn increases the visual degradation of the images. For a watermark to be effective, it should satisfy the following features. They are:

Imperceptibility - It should be perceptually invisible so that data quality is notdegraded and attackers are prevented from finding and deleting it. A watermark iscalled imperceptible if the watermarked content is perceptually equivalent to the original, un-watermarked content

- Readily Extractable The data owner or an independent control authority shouldeasily extract it.
- Unambiguous The watermark retrieval should unambiguously identify the dataowner.
- Robustness It should tolerate some of the common image processing attacks. Awatermark is called robust if it resists a designated class of transformations. Robust watermarks may be used in copyright protection applications to carrycopy and access control information.

The digital image watermarking scheme can be divided into two categories. They arevisible digital image watermarking and invisible image watermarking techniques. In visiblewatermarking, the information is visible in the picture or video. Typically, the information istext or a logo which identifies the owner of the original document. In invisible watermarking, information is added as digital data to audio, picture or video, but it cannot be perceived assuch. Further, the invisible watermarks are categorized into watermarking techniques as fragile and robust. Generally, a robust mark is generally used for copyright protection andownership identification because they are designed to withstand attacks such as common image processing operations, which attempt to remove or destroy the mark. These algorithms ensure that the image processing operations do not erase the embedded watermark signal. On the other hand a fragile or semi-fragile watermark are mainly applied to content authentication and integrity verification because they are very sensitive to attacks, i.e., it candetect slight changes to the watermarked image with high probability. This paper deals with a robust watermarking. The commonly used watermarking applications include copyrightrelated applications, medical forensic and military applications and content authenticationapplications.

Several methods have been proposed in literature [2]. Two categories of Digital watermarking algorithms are spatial-domain techniques and frequency-domain techniques. Least Significant Bit (LSB) is the simplest technique in the spatial domain techniques [3] which directly modifies the intensities of some selected pixels. The frequencydomain technique transforms an image into a set of frequency domain coefficients [4]. Thetransformation adopted may be discrete cosine transform (DCT), discrete Fourier transforms(DFT) and discrete wavelet transforms (DWT) etc. After applying transformation, watermarkis embedded in the transformed coefficients of the image such that watermark is not visible. Finally, the watermarked image is obtained by acquiring inverse transformation of thecoefficients.

In feature based watermarking scheme, watermark is generated by applying someoperations on the pixel value of host image rather than taking from external source. Recentresearches on secure digital watermarking techniques have revealed the fact that the content of the images could be used to improve the invisibility and the robustness of a watermarking scheme [5]. In the proposed watermarking scheme, watermark is created from the content of the host image and discrete wavelet transform (DWT) is used for embedding watermarks, since it is an excellent time-frequency analysis method, which can be well adapted for extracting the information content of the image [6]. A detail survey on wavelet basedwatermarking techniques can be found in [7].

To improve the security, Wang et.al [8] adopt a key dependent wavelet transform. To takethe advantage of localization and multiresolution property of the wavelet transform, Wangand Lin [9] proposed wavelet tree based watermarking algorithm. Tao et al [10]. put forward a discrete. Wavelet transform based multiple water marking algorithm. The watermark isembedded into LL and HH subbands to improve the robustness. Luo et al [11]. Introduced aninteger wavelets based watermarking technique to protect the copyright of digital data by utilizing encryption technique to enhance the security.

Yuan et al [12]. proposed an integer wavelet based Multiple logo watermarking scheme. The watermark is permuted using Arnold transform and is embedded by modifying thecoefficients of the HH and LL subbands. Qiwei et al [13]. put forward a DWT based blindwatermarking scheme by scrambling the watermark using chaos sequence. Many of thealgorithms proposed meet the imperceptibility requirement quite easily but robustness to different image processing attacks is the key challenge and the algorithms in literatureaddressed only a subset of attacks.

This paper proposes a novel DWT based blind watermarking scheme, in whichwatermark is constructed from the spatial domain and is embedded in the high-frequencyband. According to this algorithm, a DWT is performed on the host image and values in LL1subband forms the first matrix. The second matrix is produced by finding average values fromevery 2x2 blocks. Watermark construction process finds the disparity values between thosetwo matrices and is converted into binary form. The resultant matrix is disordered with thehelp of Arnold Transform. The extraction process is done without using original image andthe newly developed method is robust against many common image attacks and experimental results verify this. The security of the proposed method lies on the multifaceted procedureused to construct watermark.

2. RELATED BACKGROUND

This section briefly describes the techniques and methods that have been adopted by thewatermarking schemes, including DWT, Scrambling using Arnold Transform and watermarkconstruction process adopted in our previous watermarking algorithm.

2.1 DISCRETE WAVELET TRANSFORM

The DWT decomposes input image into four components namely LL, HL, LH and HHwhere the first letter corresponds to applying either a low pass frequency operation or highpass frequency operation to the rows, and the second letter refers to the filter applied to the columns [14], which is shown in Figure 1.

The lowest resolution level LL consists of the approximation part of the original image. The remaining three resolution levels consist of the detail parts and give

The lowest resolution level LL consists of the approximation part of the original image. The remaining three resolution levels consist of the detail parts and give the vertical high(LH), horizontal high (HL) and high (HH) frequencies. In the proposed algorithm, watermarkis embedded into the host image by modifying the coefficients of high-frequency bands i.e. HH subband.




Figure 1. DWT decomposition

For a one level decomposition, the discrete two-dimensional wavelet transform of the image function f(x, y) can be written as

$$LL = [(f(x, y) * \phi(-x) \phi(-y)) (2n, 2m)]_{(x, x) \in \mathbb{Z}^2}$$

$$LH = [(f(x, y) * \phi(-x) \psi(-y)) (2n, 2m)]_{(x, x) \in \mathbb{Z}^2}$$

$$HL = [(f(x, y) * \psi(-x) \phi(-y)) (2n, 2m)]_{(x, x) \in \mathbb{Z}^2}$$

$$HH = [(f(x, y) * \psi(-x) \psi(-y)) (2n, 2m)]_{(x, x) \in \mathbb{Z}^2}$$

where $\phi(t)$ is a low pass scaling function and $\psi(t)$ is the associated band pass waveletfunction.

2.2 ARNOLD TRANSFORM

A digital image can be considered as a two unit function f(x,y) in the plane Z. It can be represented as Z = f(x, y) where x, y belongs to $\{0,1,2,3...N-1\}$ and N represents order of digital image. The image matrix can be changed into a new matrix by the Arnold transform which results in a scrambled version to offer security. It is a mapping function which changes a point (x, y) to another point (x, y) by the equation (x, y) to another point (x

$$x' = (x+y) \mod N$$

 $y' = (x+2y) \mod N$

2.3 OVERVIEW OF PREVIOUS METHOD

This section briefly describes about the watermarking generation algorithm of our previous work [1]. The watermark is generated from the spatial domain information by performing the steps mentioned below.

- The original image X of size M x N is partitioned into non-overlapping blocks of size 2 x 2.
- Compute minimum value from each block and construct a matrix Mb (p, q), where p ∈ {1,2,3...M / 2} and q∈ {1,2,3...N / 2}.
- Find median value Md for the elements in Mb (p, q).
- Perform Arnold transform for three times on Mb (p, q) to scramble the elements and obtain matrix Ms (p, q).
- Form the watermark pattern to be embedded into original image as

$$W(p,q) = \begin{cases} 0 & \text{if } M_{\downarrow}(p,q) > M_{\downarrow} \\ 1 & \text{otherwise} \end{cases}$$

• For a M x N image, a watermark pattern of size M/2 x N/2 is generated.

Example: Consider the input matrix of size 8x8

The matrix constructed by picking smallest element from every 2x2 block of original matrix is

$$\mathbf{M}_{b} = \begin{pmatrix} 6 & 10 & 3 & 2 \\ 11 & 2 & 2 & 2 \\ 4 & 2 & 2 & 2 \\ 2 & 0 & 1 & 2 \end{pmatrix}$$

After the application of Arnold transform the scrambled version of the matrix is

$$\mathbf{M}_{4} = \begin{pmatrix} 2 & 4 & 1 & 6 \\ 2 & 0 & 2 & 2 \\ 2 & 3 & 11 & 2 \\ 10 & 2 & 2 & 2 \end{pmatrix}$$

The median value obtained for the elements in Ms is 2. According to the constraint (2), the binary watermark pattern constructed is

$$W = \begin{pmatrix} 1 & 0 & 1 & 0 \\ 1 & 1 & 1 & 1 \\ 1 & 0 & 0 & 1 \\ 0 & 1 & 1 & 1 \end{pmatrix}$$

In this method, watermark is generated by performing some operations on image pixels rather than taking from external source, hence the name content based watermark. This watermark is embedded in the HH1 subband of original image and the resultant image is called watermarked image. This embedded watermark is extracted in detection phase, and is compared with the calculated watermark to decide authenticity.

3. PROPOSED METHOD

In the proposed scheme, there are three significant phases: Watermark generation, Watermark embedding and Watermark Detection. The watermark is generated from pixel value of original image and so there is no need of external image or logo. Hence it is necessary to devise a method to generate watermark. The resolution of watermark is assumed to be half of that of original image.

For embedding the watermark, a 1-level Discrete Wavelet Transform is performed. Watermark information is embedded in the high frequency bands (HH1) since it is robust against various normal image processing and malicious attacks. The resultant image is called watermarked image. In detection phase, two kinds of watermarks will be obtained. One is generated from watermarked image and the other is extracted from HH1 subband which has been already embedded within the host image. Comparison is made between those watermarks to decide authenticity.

3.1 WATERMARK GENERATION

The watermark pattern is generated from the content information of host image. Watermark generation procedure includes the following steps and is shown in Figure 2.


- Consider the original image P of size M x M.
- Perform 1-level DWT on the original image and acquire the LL1 component to find watermark pattern, which is of size M/2 x M/2. Let this matrix be 'A'.
- A reduced size (M/2 x N/2) image 'B' is obtained from original image by Performing the following steps.
- (i) Partition the original image into non- overlapping blocks of size 2x2.
- (ii) One feature value from each block is calculated according to equation (3).

$$B(x,y) = \frac{\sum_{i=1}^{n} \sum_{j=1}^{n} P(x+2+i,y+2+j)}{4}$$
where $0 \le x \le M/2$, and $0 \le y \le N/2$.

- Find the difference between A and B. Let it be C.
- A binary sequence 'W' can be obtained by applying the following constraint.

$$W(x,y) = \begin{cases} 0 & \text{if } C(x,y) \text{ is ever} \\ 1 & \text{otherwise} \end{cases}$$

• Disorder the matrix 'W' with the help of Arnold Transform, the resultant is the required watermark pattern to be embedded in to the host image.



Flaure 2. Watermark Generation

Example:

Consider the input matrix of size 8x8

Applying 1-level DWT on the original matrix yields the LL1 component in integer form as

$$A = \begin{pmatrix} 24 & 29 & 8 & 6 \\ 30 & 17 & 7 & 9 \\ 19 & 8 & 6 & 15 \\ 10 & 4 & 4 & 13 \end{pmatrix}$$

Now the integer matrix B is obtained by taking average values of every blocks of size 2x2.

$$B = \begin{pmatrix} 12 & 14 & 4 & 3 \\ 15 & 8 & 3 & 5 \\ 9 & 4 & 3 & 8 \\ 5 & 2 & 2 & 7 \end{pmatrix}$$

Matrix 'C' is formed by calculating the difference between matrices A and B.

$$C = A - B = \begin{pmatrix} 12 & 15 & 4 & 3 \\ 15 & 9 & 4 & 4 \\ 10 & 4 & 3 & 7 \\ 5 & 2 & 2 & 6 \end{pmatrix}$$

By applying the constraint

$$W(x,y) = \begin{bmatrix} 0 & \text{if } C(x,y) \bmod 2 = 0 \\ 1 & \text{otherwise} \end{bmatrix}$$

a binary sequence 'W' is obtained as

$$W = \begin{pmatrix} 0 & 1 & 0 & 1 \\ 1 & 1 & 0 & 0 \\ 0 & 0 & 1 & 1 \\ 1 & 0 & 0 & 0 \end{pmatrix}$$

3.2 WATERMARK EMBEDDING

The watermark is embedded in the high frequency subband of DWT as follows:

- Apply 1-level DWT to original image.
- The watermark is embedded in the high frequency component HH1 of DWT.
- Perform inverse wavelet transform to obtain the watermarked image.

3.3 WATERMARK DETECTION

Proposed watermarking scheme extracts and generates watermark information fromwatermarked image and so original image is not essential. So it can be referred as blindwatermarking. The authentication process includes the following steps:

- Watermark is derived form the content of watermarked image using the stepsdescribed under watermark generation in section 3.1.
- Apply 1-level DWT to the watermarked image and extract the embedded watermarkfrom HH1 subband.
- Compare the two watermarks (derived and extracted). If two values match, authenticity is preserved. Otherwise the authenticity is suspected.
- Quality of watermarked image and the watermark is found out according to equation(4) and (6).

4. EXPERIMENTAL RESULTS

We consider the images with number of rows and columns are of equal size since the embedded watermark is a square matrix. For testing, the size of the original image is taken as 512x512. Figure 3 (a) shows original image. A 256x256 binary watermark signal is constructed from original image and is embedded within itself. The proposed method is tested using MATLAB.

After embedding the watermark, there was no visual difference between the original and watermarked images. Figure 3(b) shows watermarked image. The absolute difference of the pixel intensities of the watermarked image and the original image is shown in Figure 3(c). The difference image shows that the technique ensures high degree of fidelity.



Figure 3. (a) Original Image b) Watermarked Image (c) Difference Image

The visual quality of watermarked and attacked images is measured using the Peak Signal to Noise Ratio, which is defined in equation (4). The PSNR value of watermarked image is 59.1168, which indicates that there is very little deterioration in the quality of original image.

$$PSNR = 10 \log_{10} \left(\frac{255^3}{MSE} \right)$$

where MSE is Mean Squared Error between original and distorted images, which is definedin equation (5).

$$ACCE = \sum_{i=1,i-1}^{M-1,i-1} \frac{\{OI(i,j)-DI(i,j)\}^2}{AdxN}$$

where OI is original image and DI is the distorted image.

A comparison between extracted and original watermark can be done by computingSimilarity Ratio (SR) between these two patterns as defined in equation(6), which is themetric used for identifying robustness of the watermarking process.

$$SR = \frac{S}{S + D}$$

where 'S' denotes number of matching pixel values and 'D' denotes number of different pixelvalues. In the proposed scheme, similarity ratio evaluated between extracted and calculatedwatermark is 0.8496 which indicates that the number of matching pixels are quite high andhence authenticity is preserved. The simulation results of previous method [1] and the proposed one are exposed in Table 1.

Table 1. Quality Evaluation of Watermarking Schemes

Metric used	Method [1]	Proposed
PSNR	54.1047	59.1168
SR	1	0.8496

In the proposed as well the previous watermarking techniques, the watermarked image is subjected to six types of distortions: compression, noise, filter, image adjustment, scaling and rotation. Watermarked image has compressed using JPEG compression with different quality factors. Additive Gaussian Noise and Salt& pepper noise has been added to the watermarked image. Also filtering such as median filtering, Linear filtering, histogram equalization and blurring has been applied on the watermarked image. The intensity values of watermarked image are adjusted to new values such that 1% of data are saturated at low and high intensities. Also aclockwise rotation with cropping operation is applied on the image. Results of the metrics Peak Signal to Noise Ratio and Similarity Ratio on the test image cameramanagainst both methods are shown in Table 2 & 3 respectively.

Table 2. Assessment of PSNR under Attacks				
Attacks	America		PSNR (dB)	
Attacas		Method [1]	Proposed	
Adding Gaussian	0.01, 0	37.8092	38.3272	
noise (mean, variance)	0, 0.001	30.0730	30.0997	
Adding Salt & Pepper noise	0.002	32.0153	32.1381	
Median filtering	3x3	29.5819	29.5727	
Linear filtering	3x3	27.7792	27.7761	
Image Adjustment		18.7003	18.5312	
Blurring		37.8281	37.8322	
Histogram Equalization		19.0192	19.0944	
JPEG (Quality Factor)	90	43.0143	43.1448	
	70	36.4452	37.4799	
	50	35.2058	35.4799	
ractor)	30	33.1859	33.2002	
	10	29.1818	29.1867	
Scaling (512-256- 512)		51.0944	56.1065	
Rotation	5°	13.9478	13.9492	
	10°	12.0324	12.0325	

The imperceptibility of watermark in the proposed method has been evaluated against incidental attacks by using the metric PSNR and are compared against. A comparative study on Table 2 reveals the fact that the quality of watermarked image under various incidental image processing operations is more or less similar in both methods.

Robustness of the proposed method under the common image processing operations has been identified with the help of Similarity Ratio and is compared against our previous method. Table 3 shows the experimental results. The simulation results of both methods in the case of additive Gaussian noises show that the robustness of watermark in this attack is high with constant variance 0. An increase in variance slightly affects the robustness in both cases. The watermarked image is attacked with salt & pepper noise with density 0.002, the results obtained show that both techniques are highly robust in this case. An analytical study demonstrates that the watermark in previous method shows more robustness than the proposed one under noise attacks.

Watermarked image is smoothed with a 3x3 median filter. Experimental results disclosethat the proposed technique is more robust than the technique in under filtering operation. Similar is the case with linear filtering. Experimental results against Image adjustment and Histogram equalization attacks reveal that the robustness of watermark is high in both themethods.

A Gaussian lowpass filter of size 3x3 and a standard deviation sigma 0.5 is applied on the image. Similarly the watermarked image is compressed with lossy JPEG compression by applying the quality factor from 0 to 100. Experimental results of the proposed system against the operations such as blurring, histogram equalization, JPEG compression and scaling show a high Similarity Ratio than, which in turn indicates that the robustness of currently devised technique is higher than the previous method. For the rotation with cropping operation, the observed results dictate that the robustness of the proposed method is better than that of the previous one.

Table 3. Assessment of SR under Attacks				
			Similarity Ratio	
Attacks		Method [1]	Proposed	
Adding Gaussian	0.01, 0	1	0.8371	
noise (mean, variance)	0, 0.001	0.5188	0.5042	
Adding Salt & Pepper noise	0.002	0.9898	0.8370	
Median filtering	3x3	0.5218	0.6629	
Linear filtering	3x3	0.5359	0.6696	
Image Adjustment		0.8433	0.8435	
Bluring		0.6718	0.8083	
Histogram Equalization		0.7573	0.7598	
	90	0.4659	0.6488	
JPEG (Quality Factor)	70	0.4753	0.6956	
	50	0.4745	0.7418	
ractor)	30	0.4759	0.7736	
	10	0.4746	0.8158	
Scaling (512-256- 512)		0.4985	0.8463	
Rotation	5°	0.5071	0.7135	
Aotation	10°	0.4648	0.6957	

5. CONCLUSION

This study has discussed a new robust watermarking scheme, which provides a complete algorithm that embeds and extracts the watermark information effectively. In this method, a binary watermark pattern is constructed from host image itself and is disordered with the help of Arnold Transform. The watermark embedding process does not degrade the visual quality of the image. The designed method makes use of the Discrete Wavelet Transform which provides a frequency spread of the watermark within the host image. Moreover the authentication process provides qualities like imperceptibility, robustness and security. The performance of the watermarking scheme is evaluated with common image processing attacks such as additive noises, filtering, intensity adjustment, histogram equalization, JPEG compression, Scaling and rotation. Experimental results demonstrate that watermark is robust against those attacks. Moreover the simulation results of currently devised method are compared with that of our previous work [1], the results obtained show that the proposed technique is highly robust against attacks such as image adjustment, blurring, histogram equalization, compression, scaling and rotation.

6. REFERENCES

- 1. S.S.Sujatha, and M.MohamedSathik, "Feature Based Watermarking Algorithm by Adopting ArnoldTransform", Proc. of Springer International Conference on Information and Communication TechnologiesICT 2010, Vol.1, pp.78-82, Sept 2010.
- 2. C.Rey, and J.Dugelay, "A survey of watermarking algorithm for Image authentication", Journal on AppliedSignal Processing, Vol.6, pp.613-621, 2002.
- 3. C.I.Podilchuk, and E.J.Delp, "Digital watermarking: algorithms and applications" IEEE Signal ProcessingMagazine, pp. 33-46, July 2001.
- 4. ArvindkumarParthasarathy, and SubhashKak, "An Improved Method of Content Based ImageWatermarking", IEEE Transaction on broadcasting, Vol.53, no.2, pp.468 -479, June 2007.
- 5. L.Xie, S.Wang, L.Gan, L.Zhang, and Z.Shu, "A class of authentication digital watermarks for securemultimedia communication IEEE Transactions on Image Processing, Vol.10, No.11, pp.1754 1764.
- 6. Ramana Reddy, MunagaV.N.Prasad, and D.SreenivasaRao, "Robust Digital Watermarking of Color Imagesunder Noise Attacks", International Journal of Recent Trends in Engineering, Vol.1, No. 1, May 2009.
- 7. Q.Ying, and W.Ying, "A survey of wavelet-domain based digital image watermarking algorithm", Computer Engineering and Applications, Vol.11, pp.46-49, 2004.

- Y.Wang, J.F.Doherty, and R.E.Van Dyck, "A wavelet-based watermarking algorithm for ownershipverification of digital images", IEEE Trans. Image Process, 11, pp.77-88, 2002.
- S.H.Wang, and Y.P.Lin, "Wavelet Tree quantization for copyright protection for watermarking", IEEE Trans.Image Process, pp.154-165, 2002.
- 10. P.Tao, and A.M.Eskicioglu, "A robust multiple watermarking scheme in the discrete wavelet transform domain", Proceedings of the SPIE, Vol.5601, pp.133-144, 2004.
- Y.Luo, L.Z.Cheng, B.Chen, and Y.Wu, "Study on digital elevation mode data watermark via integer wavelets", Journal of software, 16(6), pp.1096-1103, 11. 2005
- 12. Yuan Yuan, Decai Huang, and Duanyang Liu, An Integer Wavelet Based Multiple Logo-watermarking Scheme. In IEEE, Vol.2 pp.175-179, 2006.
- 13. Qiwei Lin, Zhenhui Liu, and Gui Feng, "DWT based on watermarking algorihthm and its implementing with DSP", IEEE Xplore, pp. 131-134, 2009.
- 14. Xiang-Gen Xia, Charles G.Boncelet, and Gonzalo, "Wavelet Transform based watermark for digital images", OPTICS EXPRESS, 1998 Vol.3, No.12, pp 497-



REQUEST FOR FEEDBACK

Dear Readers

At the very outset, International Journal of Research in Commerce, IT and Management (IJRCM) acknowledges & appreciates your efforts in showing interest in our present issue under your kind perusal.

I would like to request you to supply your critical comments and suggestions about the material published in this issue as well as on the journal as a whole, on our E-mail i.e. infoijrcm@gmail.com for further improvements in the interest of research.

If you have any queries please feel free to contact us on our E-mail infoijrcm@gmail.com.

I am sure that your feedback and deliberations would make future issues better – a result of our joint effort.

Looking forward an appropriate consideration.

With sincere regards

Thanking you profoundly

Academically yours

Sd/-

Co-ordinator

ABOUT THE JOURNAL

In this age of Commerce, Economics, Computer, I.T. & Management and cut throat competition, a group of intellectuals felt the need to have some platform, where young and budding managers and academicians could express their views and discuss the problems among their peers. This journal was conceived with this noble intention in view. This journal has been introduced to give an opportunity for expressing refined and innovative ideas in this field. It is our humble endeavour to provide a springboard to the upcoming specialists and give a chance to know about the latest in the sphere of research and knowledge. We have taken a small step and we hope that with the active cooperation of like-minded scholars, we shall be able to serve the society with our humble efforts.

Our Other Fournals



