

INTERNATIONAL JOURNAL OF RESEARCH IN COMPUTER APPLICATION & MANAGEMENT

IJR
CM



A Monthly Double-Blind Peer Reviewed (Refereed/Juried) Open Access International e-Journal - Included in the International Serial Directories

Indexed & Listed at:

Ulrich's Periodicals Directory ©, ProQuest, U.S.A., EBSCO Publishing, U.S.A., Cabell's Directories of Publishing Opportunities, U.S.A.

Open J-Gate, India [link of the same is duly available at Inlibnet of University Grants Commission (U.G.C.)]

Index Copernicus Publishers Panel, Poland with IC Value of 5.09 & number of libraries all around the world.

Circulated all over the world & Google has verified that scholars of more than 2980 Cities in 165 countries/territories are visiting our journal on regular basis.

Ground Floor, Building No. 1041-C-1, Devi Bhawan Bazar, JAGADHRI – 135 003, Yamunanagar, Haryana, INDIA

<http://ijrcm.org.in/>

CONTENTS

Sr. No.	TITLE & NAME OF THE AUTHOR (S)	Page No.
1.	HUMAN RESOURCE MANAGEMENT PRACTICES IN HOSPITALS THOTA AMRUTHA VALLI & T. SUBBARAYUDU	1
2.	INVENTORY MODELS FOR DETERIORATING ITEMS WITH STOCK DEPENDENT PRODUCTION AND DEMAND RATES HAVING WEIBULL DECAY ESSEY KEBEDE MULUNEH & K. SRINIVASA RAO	4
3.	CHALLENGES BEFORE BUSINESS EDUCATION IN INDIA DR. SONAL SHARMA & DR. M. K. SINGH	18
4.	MULTI-CORE PROGRAMMING PERFORMANCE AND ANALYZES AJITKUMAR M. PUNDGE, DR. PRAPTI DESHMUKH, SANJAY AZADE & SATISH SANKAYE	22
5.	STUDY ON STREET LIGHTS EXECUTION USING SIMULATION MODEL WITH EXCLUSIVE FOCUS ON ARTIFICIAL INTELLIGENCE AND NEURAL NETWORKS ROOPSINGH TAKUR & KARUPPASAMY PANDIAN SP	25
6.	EFFICIENT VIDEO TRANSMISSION FOR WIRELESS COMMUNICATION NETWORKS USING ZIGBEE PROTOCOL MEENAKSHI.S, RAJKUMAR.S & S.MUTHUKUMARASAMY	29
7.	WIRELESS COMMUNICATION K. KRISHNAVENI	33
8.	SPIRAL SECURITY MODEL TO COUNTER THE THREATS DUE TO HUMAN FACTORS IN WEB APPLICATIONS BISWAJIT TRIPATHY & JIBITESH MISHRA	36
9.	AN EFFICIENT METHOD FOR IMAGE RESTORATION FROM MOTION BLUR AND ADDITIVE WHITE GAUSSIAN DENOISING USING FUZZY DE-NOISING AND RICHARDSON LUCY DECONVOLUTION N. UMADEVI & R. SUDHAMATHI	40
10.	STUDY OF LITERATURE FOR EFFECTIVE BUSINESS COMMUNICATION DR. PAWAN KUMAR SHARMA	43
11.	A PROCEDURAL APPROACH TO BRANDING HR DR. KALPANA KONERU & HYMAVATHI CHUNDURI	46
12.	BUYING BEHAVIOUR OF CONSUMERS WITH REGARD TO SOFT DRINKS WITH REFERENCE TO COIMBATORE CITY DR. A. KUMUDHA & THILAGA. S	52
13.	IMPACT OF GLOBAL FINANCIAL CRISIS ON THE FINANCIAL PERFORMANCE OF SELECTED PUBLIC SECTOR BANKS IN INDIA DR. V. MOHANRAJ & S.GOMATHI	57
14.	ELLIPTIC CURVE CRYPTOGRAPHY SANJEEV & DR. NAVEEN VERMA	62
15.	IMPACT OF STRESS ON ACADEMIC PERFORMANCE AMONG POST GRADUATE STUDENTS NEELUFER ASLAM, DR. SRILEKHA GOVEAS & SUMI THOMAS	66
16.	THE NEXT BIG THING IN COMPUTING IS CLOUD COMPUTING: AN INTRODUCTION, CONCEPT AND ISSUES C.VENISH RAJA & A.PAPPU RAJAN	71
17.	ADOPTION OF CONTEMPORARY COST MANAGEMENT TECHNIQUES FOR BETTER MANAGEMENT OF COSTS MANMEET KAUR & RAVINDER KAUR	74
18.	JOB SATISFACTION AMONG THE EMPLOYEES OF INSURANCE SECTOR: A STUDY OF SELECTED PRIVATE INSURANCE COMPANIES IN RAJASTHAN SHUBHASHREE SHARMA	79
19.	CORPORATE FUNDING OF POLITICAL PARTIES UNDER NEW COMPANY LAW MINNY NARANG	84
20.	SIGFREE WITH EXTENDED INSTRUCTION SEQUENCE GRAPH FOR DATA FLOW ANOMALY AND PROXY SHAIK SHAFIA	91
21.	A STUDY ON CHALLENGES OF INDIAN HOSPITALITY INDUSTRY AND REMEDIES FOR SUSTAINABILITY IN THE EVER CHANGING MARKET SCENARIO USHA DINAKARAN	101
22.	A STUDY ON PERFORMANCE EVALUATION OF PUBLIC & PRIVATE SECTOR MUTUAL FUNDS IN INDIA DR. BHUPENDRA SINGH HADA	106
23.	DETERMINANTS OF RURAL HOUSEHOLDS LOAN REPAYMENT PERFORMANCE, IN OROMIA NATIONAL REGIONAL STATE: THE CASE OF DODOTA WOLEDA SOLOLOMON ALEMU & ADDISU BAJIRA	112
24.	AN ANALYSIS OF CELEBRITY ENDORSEMENT IN INDIA REGIONAL VS. NATIONAL CELEBRITIES CHARUL CHATURVEDI & DR. SUMAN PATHAK	119
25.	TERRITORIAL ACCOMMODATION OF ETHNIC CONFLICT AND ITS NEXUS WITH POST CONFLICT STATE BUILDING AND PEACE BEDASA TECHAN TEFERA	124
26.	GREEN BANKING SERVICES FOR SUSTAINABILITY VIJAY PULICHERI & SANGEPU RAJASHEKHAR	132
27.	IMPLEMENTATION OF DIRECT TAX CODE (DTC): PROBLEMS AND PROSPECTS AKSHATHA B.G.	136
28.	SERVICE QUALITY AND CUSTOMER SATISFACTION OF PEOPLE'S BANK IN JAFFNA DISTRICT K.THARMILA	142
29.	STAFF DEVELOPMENT FOR AUSTRALIAN HEALTHCARE PROFESSIONALS DR. DAVID JOSEPH PEREIRA	150
30.	HYBRID SCHEDULING ALGORITHM FOR WIMAX- PBDRR UMESH SINGH VISEN	153
	REQUEST FOR FEEDBACK & DISCLAIMER	156

CHIEF PATRON**PROF. K. K. AGGARWAL**

Chairman, Malaviya National Institute of Technology, Jaipur

(An institute of National Importance & fully funded by Ministry of Human Resource Development, Government of India)

Chancellor, K. R. Mangalam University, Gurgaon

Chancellor, Lingaya's University, Faridabad

Founder Vice-Chancellor (1998-2008), Guru Gobind Singh Indraprastha University, Delhi

Ex. Pro Vice-Chancellor, Guru Jambheshwar University, Hisar

FOUNDER PATRON**LATE SH. RAM BHAJAN AGGARWAL**

Former State Minister for Home & Tourism, Government of Haryana

Former Vice-President, Dadri Education Society, Charkhi Dadri

Former President, Chinar Syntex Ltd. (Textile Mills), Bhiwani

CO-ORDINATOR**DR. SAMBHAV GARG**

Faculty, Shree Ram Institute of Business & Management, Urjani

ADVISORS**DR. PRIYA RANJAN TRIVEDI**

Chancellor, The Global Open University, Nagaland

PROF. M. S. SENAM RAJU

Director A. C. D., School of Management Studies, I.G.N.O.U., New Delhi

PROF. S. L. MAHANDRU

Principal (Retd.), Maharaja Agrasen College, Jagadhri

EDITOR**PROF. R. K. SHARMA**

Professor, Bharti Vidyapeeth University Institute of Management & Research, New Delhi

EDITORIAL ADVISORY BOARD**DR. RAJESH MODI**

Faculty, Yanbu Industrial College, Kingdom of Saudi Arabia

PROF. PARVEEN KUMAR

Director, M.C.A., Meerut Institute of Engineering & Technology, Meerut, U. P.

PROF. H. R. SHARMA

Director, Chhatrapati Shivaji Institute of Technology, Durg, C.G.

PROF. MANOHAR LAL

Director & Chairman, School of Information & Computer Sciences, I.G.N.O.U., New Delhi

PROF. ANIL K. SAINI

Chairperson (CRC), Guru Gobind Singh I. P. University, Delhi

PROF. R. K. CHOUDHARY

Director, Asia Pacific Institute of Information Technology, Panipat

DR. ASHWANI KUSH

Head, Computer Science, University College, Kurukshetra University, Kurukshetra

DR. BHARAT BHUSHAN

Head, Department of Computer Science & Applications, Guru Nanak Khalsa College, Yamunanagar

DR. VIJAYPAL SINGH DHAKA

Dean (Academics), Rajasthan Institute of Engineering & Technology, Jaipur

DR. SAMBHAVNA

Faculty, I.I.T.M., Delhi

DR. MOHINDER CHAND

Associate Professor, Kurukshetra University, Kurukshetra

DR. MOHENDER KUMAR GUPTA

Associate Professor, P.J.L.N. Government College, Faridabad

DR. SAMBHAV GARG

Faculty, Shree Ram Institute of Business & Management, Urjani

DR. SHIVAKUMAR DEENE

Asst. Professor, Dept. of Commerce, School of Business Studies, Central University of Karnataka, Gulbarga

DR. BHAVET

Faculty, Shree Ram Institute of Business & Management, Urjani

ASSOCIATE EDITORS**PROF. ABHAY BANSAL**

Head, Department of Information Technology, Amity School of Engineering & Technology, Amity University, Noida

PROF. NAWAB ALI KHAN

Department of Commerce, Aligarh Muslim University, Aligarh, U.P.

ASHISH CHOPRA

Sr. Lecturer, Doon Valley Institute of Engineering & Technology, Karnal

TECHNICAL ADVISOR**AMITA**

Faculty, Government M. S., Mohali

FINANCIAL ADVISORS**DICKIN GOYAL**

Advocate & Tax Adviser, Panchkula

NEENA

Investment Consultant, Chambaghat, Solan, Himachal Pradesh

LEGAL ADVISORS**JITENDER S. CHAHAL**

Advocate, Punjab & Haryana High Court, Chandigarh U.T.

CHANDER BHUSHAN SHARMA

Advocate & Consultant, District Courts, Yamunanagar at Jagadhri

SUPERINTENDENT**SURENDER KUMAR POONIA**

CALL FOR MANUSCRIPTS

We invite unpublished novel, original, empirical and high quality research work pertaining to recent developments & practices in the areas of Computer Science & Applications; Commerce; Business; Finance; Marketing; Human Resource Management; General Management; Banking; Economics; Tourism Administration & Management; Education; Law; Library & Information Science; Defence & Strategic Studies; Electronic Science; Corporate Governance; Industrial Relations; and emerging paradigms in allied subjects like Accounting; Accounting Information Systems; Accounting Theory & Practice; Auditing; Behavioral Accounting; Behavioral Economics; Corporate Finance; Cost Accounting; Econometrics; Economic Development; Economic History; Financial Institutions & Markets; Financial Services; Fiscal Policy; Government & Non Profit Accounting; Industrial Organization; International Economics & Trade; International Finance; Macro Economics; Micro Economics; Rural Economics; Co-operation; Demography; Development Planning; Development Studies; Applied Economics; Development Economics; Business Economics; Monetary Policy; Public Policy Economics; Real Estate; Regional Economics; Political Science; Continuing Education; Labour Welfare; Philosophy; Psychology; Sociology; Tax Accounting; Advertising & Promotion Management; Management Information Systems (MIS); Business Law; Public Responsibility & Ethics; Communication; Direct Marketing; E-Commerce; Global Business; Health Care Administration; Labour Relations & Human Resource Management; Marketing Research; Marketing Theory & Applications; Non-Profit Organizations; Office Administration/Management; Operations Research/Statistics; Organizational Behavior & Theory; Organizational Development; Production/Operations; International Relations; Human Rights & Duties; Public Administration; Population Studies; Purchasing/Materials Management; Retailing; Sales/Selling; Services; Small Business Entrepreneurship; Strategic Management Policy; Technology/Innovation; Tourism & Hospitality; Transportation Distribution; Algorithms; Artificial Intelligence; Compilers & Translation; Computer Aided Design (CAD); Computer Aided Manufacturing; Computer Graphics; Computer Organization & Architecture; Database Structures & Systems; Discrete Structures; Internet; Management Information Systems; Modeling & Simulation; Neural Systems/Neural Networks; Numerical Analysis/Scientific Computing; Object Oriented Programming; Operating Systems; Programming Languages; Robotics; Symbolic & Formal Logic; Web Design and emerging paradigms in allied subjects.

Anybody can submit the **soft copy** of unpublished novel; original; empirical and high quality **research work/manuscript anytime** in **M.S. Word format** after preparing the same as per our **GUIDELINES FOR SUBMISSION**; at our email address i.e. infoijrcm@gmail.com or online by clicking the link **online submission** as given on our website ([FOR ONLINE SUBMISSION, CLICK HERE](#)).

GUIDELINES FOR SUBMISSION OF MANUSCRIPT

1. **COVERING LETTER FOR SUBMISSION:**

DATED: _____

THE EDITOR
IJRCM

Subject: SUBMISSION OF MANUSCRIPT IN THE AREA OF

(e.g. Finance/Marketing/HRM/General Management/Economics/Psychology/Law/Computer/IT/Engineering/Mathematics/other, please specify)

DEAR SIR/MADAM

Please find my submission of manuscript entitled '_____ ' for possible publication in your journals.

I hereby affirm that the contents of this manuscript are original. Furthermore, it has neither been published elsewhere in any language fully or partly, nor is it under review for publication elsewhere.

I affirm that all the author (s) have seen and agreed to the submitted version of the manuscript and their inclusion of name (s) as co-author (s).

Also, if my/our manuscript is accepted, I/We agree to comply with the formalities as given on the website of the journal & you are free to publish our contribution in any of your journals.

NAME OF CORRESPONDING AUTHOR:

Designation:

Affiliation with full address, contact numbers & Pin Code:

Residential address with Pin Code:

Mobile Number (s):

Landline Number (s):

E-mail Address:

Alternate E-mail Address:

NOTES:

- a) The whole manuscript is required to be in **ONE MS WORD FILE** only (pdf. version is liable to be rejected without any consideration), which will start from the covering letter, inside the manuscript.
- b) The sender is required to mention the following in the **SUBJECT COLUMN** of the mail:
New Manuscript for Review in the area of (Finance/Marketing/HRM/General Management/Economics/Psychology/Law/Computer/IT/Engineering/Mathematics/other, please specify)
- c) There is no need to give any text in the body of mail, except the cases where the author wishes to give any specific message w.r.t. to the manuscript.
- d) The total size of the file containing the manuscript is required to be below **500 KB**.
- e) Abstract alone will not be considered for review, and the author is required to submit the complete manuscript in the first instance.
- f) The journal gives acknowledgement w.r.t. the receipt of every email and in case of non-receipt of acknowledgment from the journal, w.r.t. the submission of manuscript, within two days of submission, the corresponding author is required to demand for the same by sending separate mail to the journal.

2. **MANUSCRIPT TITLE:** The title of the paper should be in a 12 point Calibri Font. It should be bold typed, centered and fully capitalised.

3. **AUTHOR NAME (S) & AFFILIATIONS:** The author (s) **full name, designation, affiliation (s), address, mobile/landline numbers**, and **email/alternate email address** should be in italic & 11-point Calibri Font. It must be centered underneath the title.

4. **ABSTRACT:** Abstract should be in fully italicized text, not exceeding 250 words. The abstract must be informative and explain the background, aims, methods, results & conclusion in a single para. Abbreviations must be mentioned in full.

5. **KEYWORDS:** Abstract must be followed by a list of keywords, subject to the maximum of five. These should be arranged in alphabetic order separated by commas and full stops at the end.
6. **MANUSCRIPT:** Manuscript must be in **BRITISH ENGLISH** prepared on a standard A4 size **PORTRAIT SETTING PAPER**. It must be prepared on a single space and single column with 1" margin set for top, bottom, left and right. It should be typed in 8 point Calibri Font with page numbers at the bottom and centre of every page. It should be free from grammatical, spelling and punctuation errors and must be thoroughly edited.
7. **HEADINGS:** All the headings should be in a 10 point Calibri Font. These must be bold-faced, aligned left and fully capitalised. Leave a blank line before each heading.
8. **SUB-HEADINGS:** All the sub-headings should be in a 8 point Calibri Font. These must be bold-faced, aligned left and fully capitalised.
9. **MAIN TEXT:** The main text should follow the following sequence:

INTRODUCTION

REVIEW OF LITERATURE

NEED/IMPORTANCE OF THE STUDY

STATEMENT OF THE PROBLEM

OBJECTIVES

HYPOTHESES

RESEARCH METHODOLOGY

RESULTS & DISCUSSION

FINDINGS

RECOMMENDATIONS/SUGGESTIONS

CONCLUSIONS

SCOPE FOR FURTHER RESEARCH

ACKNOWLEDGMENTS

REFERENCES

APPENDIX/ANNEXURE

It should be in a 8 point Calibri Font, single spaced and justified. The manuscript should preferably not exceed **5000 WORDS**.

10. **FIGURES & TABLES:** These should be simple, crystal clear, centered, separately numbered & self explained, and **titles must be above the table/figure**. **Sources of data should be mentioned below the table/figure**. It should be ensured that the tables/figures are referred to from the main text.
11. **EQUATIONS:** These should be consecutively numbered in parentheses, horizontally centered with equation number placed at the right.
12. **REFERENCES:** The list of all references should be alphabetically arranged. The author (s) should mention only the actually utilised references in the preparation of manuscript and they are supposed to follow **Harvard Style of Referencing**. The author (s) are supposed to follow the references as per the following:
 - All works cited in the text (including sources for tables and figures) should be listed alphabetically.
 - Use (ed.) for one editor, and (ed.s) for multiple editors.
 - When listing two or more works by one author, use --- (20xx), such as after Kohl (1997), use --- (2001), etc, in chronologically ascending order.
 - Indicate (opening and closing) page numbers for articles in journals and for chapters in books.
 - The title of books and journals should be in italics. Double quotation marks are used for titles of journal articles, book chapters, dissertations, reports, working papers, unpublished material, etc.
 - For titles in a language other than English, provide an English translation in parentheses.
 - The location of endnotes within the text should be indicated by superscript numbers.

PLEASE USE THE FOLLOWING FOR STYLE AND PUNCTUATION IN REFERENCES:

BOOKS

- Bowersox, Donald J., Closs, David J., (1996), "Logistical Management." Tata McGraw, Hill, New Delhi.
- Hunker, H.L. and A.J. Wright (1963), "Factors of Industrial Location in Ohio" Ohio State University, Nigeria.

CONTRIBUTIONS TO BOOKS

- Sharma T., Kwatra, G. (2008) Effectiveness of Social Advertising: A Study of Selected Campaigns, Corporate Social Responsibility, Edited by David Crowther & Nicholas Capaldi, Ashgate Research Companion to Corporate Social Responsibility, Chapter 15, pp 287-303.

JOURNAL AND OTHER ARTICLES

- Schemenner, R.W., Huber, J.C. and Cook, R.L. (1987), "Geographic Differences and the Location of New Manufacturing Facilities," Journal of Urban Economics, Vol. 21, No. 1, pp. 83-104.

CONFERENCE PAPERS

- Garg, Sambhav (2011): "Business Ethics" Paper presented at the Annual International Conference for the All India Management Association, New Delhi, India, 19–22 June.

UNPUBLISHED DISSERTATIONS AND THESES

- Kumar S. (2011): "Customer Value: A Comparative Study of Rural and Urban Customers," Thesis, Kurukshetra University, Kurukshetra.

ONLINE RESOURCES

- Always indicate the date that the source was accessed, as online resources are frequently updated or removed.

WEBSITES

- Garg, Bhavet (2011): Towards a New Natural Gas Policy, Political Weekly, Viewed on January 01, 2012 <http://epw.in/user/viewabstract.jsp>

AN EFFICIENT METHOD FOR IMAGE RESTORATION FROM MOTION BLUR AND ADDITIVE WHITE GAUSSIAN DENOISING USING FUZZY DE-NOISING AND RICHARDSON LUCY DECONVOLUTION

N. UMADEVI

HEAD

**DEPARTMENT OF COMPUTER SCIENCE & INFORMATION TECHNOLOGY
SRI JAYENDRA SARASWATHY MAHA VIDHYALAYA COLLEGE OF ARTS & SCIENCE
COIMBATORE**

R. SUDHAMATHI

RESEARCH SCHOLAR

**SRI JAYENDRA SARASWATHY MAHA VIDHYALAYA COLLEGE OF ARTS & SCIENCE
COIMBATORE**

ABSTRACT

The proposed system deal with the problem of restoration of images blurred by relative motion between the camera and the object of interest. For correct restoration of the degraded image, it is useful to know the point-spread function (PSF) of the blurring system. It is a straightforward method to restore motion-blurred images given only the blurred image itself. The method first identifies the PSF of the blur and then uses it to restore the blurred image. The blur identification here is based on the concept that image characteristics along the direction of motion are affected mostly by the blur and are different from the characteristics in other directions. By filtering the blurred image, we emphasize the PSF correlation properties at the expense of those of the original image.

KEYWORDS

Motion Blur, Image Restoration, Image Degradation.

1. INTRODUCTION

A long-distance imaging system can be strongly affected by atmospheric turbulence, which randomly changes the refractive index along the optical transmission path, generating geometric distortion (motion), space and time varying blur, and sometimes even motion blur if the exposure time is not sufficiently short. Aside from hardware-based adaptive optics approaches, several signal processing approaches have been proposed to solve this problem. These approaches attempt to restore a single high-quality image from an observed frame sequence distorted by air turbulence. As with these other works based on videos or image sequences, we work under the assumption that the scene and the image sensor are both static, and that observed motions are due to the air turbulence alone. The imaging process can be modeled as some multi-frame reconstruction approaches first employ a non-rigid image registration technique to register each observed frame with respect to a fixed reference grid, and use the registration parameters to estimate the corresponding motion field for each frame. Unfortunately, the assumption of constant motion during the entire imaging process does not hold for many cases of motion blur. For example, analysis of images taken with small digital cameras shows that consecutive images covering the same scene have different motion blur. In particular, the direction of motion blur is different from one image to another due to trembling of the hand. In the image restoration algorithm included an estimation of the PSF (Point Spread Function) from two images. However, it assumes a pure translation between the images, and uses the location of singularities in the frequency domain which are not stable.

One solution that reduces the degree of blur is to capture images using shorter exposure intervals. This, however, increases the amount of noise in the image, especially in dark scenes. An alternative approach is to try to remove the blur off-line. The problem of restoration of blurred image with complex background and noise reduction has proved unsolved. The blurred part is complex to extract from the complex background in the previous system, and then it is pasted onto a bottom with monochromatic background with multiple noises like additive and specular noises.

Image deconvolution algorithm varies the result and only focus on exposure of rectilinear blur, for which a statistical analysis based methods, produces unsatisfactory results. More specifically, each restoration-error model describes how the expected restoration error of a particular image- deblurring algorithm varies as the blur due to camera motion develops over time along with the PSF trajectory, which we effectively handle by means of statistical descriptors.

The peculiarity of the proposed methodology is that it simultaneously takes into account the motion blur and additive noises, its interplay with the sensor noise, and the motion randomness. To put our contribution in perspective, let us briefly summarize some of the most important related works, where ad-hoc devices and controlled or customized acquisition strategies are devised to ease the restoration task.

Differently from image stabilization techniques, which counteract/prevent the blur, most computational-photography techniques leverage particular acquisition strategies (or settings) that make the algorithmic inversion of the blurring operator easier. These algorithms can be divided into two classes: the first class consists of algorithms that couple the blurred image with some additional information, while the second class consists of algorithms that tweak the camera acquisition to obtain PSFs that are easier to invert. The first class of algorithms includes, which exploit hybrid imaging systems (provided with two cameras having different resolutions) that are able to measure their own motion during the acquisition.

2. RELATED WORK

In previous works of Giacomo Boracchi and Alessandro Foi (1) the PSF trajectories as random processes and, following a Monte Carlo approach, expresses the restoration performance as the expectation of the restoration error conditioned on some motion-randomness descriptors and on the exposure time. This allows us to coherently encompass various imaging scenarios, including camera shake and uniform (rectilinear) motion, and, for each of these, identify the specific exposure time that maximizes the image quality after deblurring.

The work of Marius Tico, Markku Vehvilainen (2) the exposure times of the two images determines differences in their degradations which are exploited in order to recover the original image of the scene. We formulate the problem as a maximum a posteriori (MAP) estimation based on the degradation models of the two observed images, as well as by imposing an edge-preserving image prior.

3. OUR CONTRIBUTION

3.1 SINGLE IMAGE BLIND DECONVOLUTION

In image deconvolution, the goal is to estimate an original image $f = \{f(x, y), x = 1, \dots, N, y = 1, \dots, N\}$ from an observed version $g = \{g(x, y), x = 1, \dots, N, y = 1, \dots, N\}$, assumed to have been produced according to $g(x, y) = f(x, y) * h(x, y) + w(x, y)$, where $h(x, y)$ is the blur point spread function (PSF), $\{n(x, y), x = 1, \dots, N, y = 1, \dots, N\}$ is a set of independent samples.

Finally, a single image deblurring algorithm is required as a post-process to deconvolve the near-diffraction limited image Z .

The degradation model

$$Z = F \otimes h + \varepsilon$$

where ε represents error caused by the process generating the estimate of Z . where ε represents error caused by the process generating the estimate of Z . Such blind deconvolution algorithm can be described generally using the following

$$\langle \hat{F}, \hat{h} \rangle = \arg \min_{F, h} \|Z - h \otimes F\|^2 + \lambda_1 R_f(F) + \lambda_2 R_h(h),$$

where R_f and R_h are the regularization terms based on prior knowledge about the latent sharp image F and the PSF h .

3.2 FUZZY IMAGE DENOISING

The general idea in this method is to take into account the fine details of the image such as edges and color component distances, which will be preserved by the filter. The goal of the first filter is to distinguish between local variations due to image structures such as edges. The goal is accomplished by using Euclidean distances between color components instead of differences between the components as done in most of the existing filters.

The proposed method uses 2-D distances instead of 3-D distances (distance between three color components red, green and blue), that is, the distance between red-green (RG) and red-blue (RB) of the neighborhood centered at (i, j) is used to filter the red component. Similarly, the distance between RG and green-blue (GB) is used to filter the green component and the distance between RB and GB is used to filter the blue component, respectively.

Similarly, fuzzy rules for the green component (using RG and GB couple) and the blue component (using RB and GB couple) can be computed. In the above fuzzy rules DISTANCE represents the Euclidean distance. $\text{DISTANCE}(\text{RG}, \text{NEIGH}(\text{RG})) = [(C_{i+k,j+1,1} - C_{i,j,1})^2 + (C_{i+k,j+1,2} - C_{i,j,2})^2]^{1/2}$ In the proposed approach, the membership function SMALL has been modified which incorporates a two-sided composite of two different Gaussian curves. The Gaussian function depends on two parameters σ and c as given by

$$f(x; \sigma, c) = e^{-\frac{(x-c)^2}{2\sigma^2}}$$

The membership function *gauss2mf* (supported by MATLAB) is a combination of two of these two parameters. The first function, specified by $_1$ and c_1 , determines the shape of the leftmost curve. The second function specified by $_2$ and c_2 determines the shape of the right-most curve.

4. IMPLEMENTATION

Various methods for removing or preventing the motion blur degradation have been proposed. The existent solutions can be divided in two categories based on whether they are aiming to correct or to prevent the motion blur degradation. In the first category are those solutions that are aiming for restoring a single image shot captured during the exposure time. This is actually the classical case of image capturing, where the acquired image is typically corrupted by motion blur, caused by the motion that have taken place during the exposure time. If the point spread function (PSF) of the motion blur is known then the original image could be restored, up to some level of accuracy (determined by the lost spatial frequencies), by applying an image restoration approach. However, the main difficulty is that in most practical situations the motion blur PSF is not known.

To demonstrate the process of deconvolving in the entire image with the same kernel damages the unblurred parts. One obvious solution is to divide the image into regions and match a separate blur kernel to each region. While likelihood measure based on a big window is more reliable, such a window might cover regions from different blurring layers. Another alternative is to brake the image into segments using an unsupervised segmentation algorithm, and match a kernel to each segment. The fact that blur changes the derivatives distributions also suggests that it might be captured as a kind of texture cue. Therefore, it's particularly interesting to try segmenting the image using texture affinities. However, as this is an unsupervised segmentation process which does not take into account the grouping goal, it's hard to expect it to yield exactly the blurred layers. The output over-segments blur layers, while merging parts of blurred and unblurred objects.

Moreover, since the PSF depends of the camera motion during the exposure time, it is rather difficult to establish a universal model for the blur process. The lack of knowledge about the blur PSF suggests the use of blind deconvolution approaches in order to restore the motion blurred images. Unfortunately, most of these methods rely on rather simple motion models, e.g. linear constant speed motion, and hence their potential use in consumer products is rather limited. Measurements of the camera motion during the exposure time could help in estimating the motion blur PSF and eventually to restore the original image of the scene.

5. RESULTS

The proposed methodology for deriving a statistical model of the performance of a given deblurring algorithm, when used to restore motion blurred images. Differently from our earlier work on rectilinear blur, it do not enforce any analytical formulation for the trajectories generating the motion-blur PSFs and we deal with random motion, which is effectively handled by means of statistical descriptors of the PSF.

The extensive experiments on camera raw images investigated the blur/noise tradeoff that rules the restoration performance in presence of motion blur, and show that the computed restoration-error models provide estimates that are coherent with the results on real data.

In practice these models, combined with functions expressing how the PSF descriptors vary w.r.t. the exposure times, provide concrete guidelines for predicting the exposure time that maximizes the quality of the image restored by the corresponding algorithm. The outcomes of the restoration error models obtained from three different deconvolution algorithms (namely the anisotropic LPA-ICI deconvolution, the deconvolution using sparse natural image priors, and the Richardson–Lucy deconvolution), agree with the results, with the acquisition strategies followed in the practice to cope with camera shake, and with an extensive experimental evaluation performed on camera raw images.

FIGURE 1: A) BLURRED AND NOISY IMAGE B) DEBLURRED NOISY IMAGE AND C) FUZZY DENOISED IMAGE





TABLE 1: SHOWS THAT THE ERROR RATES OF THREE DIFFERENT ALGORITHMS


Image Error Measurements	Noisy Image Values	Proposed Denoise and Deblur Algorithm	DWT Algorithm	Laplacian Algorithm
ISNR	3.864589	4.564685	3.98434	4.03845
SNR	20.81562	21.99787	20.94387	20.54982
PSNR	29.97736	31.55962	29.99432	30.08732
MSE	65.3648	56.16338	63.50982	64.07126
RMSE	8.08485	7.49064	7.982340	7.838655
MAE	5.497884	5.001370	5.387458	5.256787
MAX	123.8326	104.7897	120.7397	119.4903

FIG. 2: COMPARISON OF ERRORS MEASUREMENTS



To demonstrate the significant improvement arising from our modified algorithm, compare it reduce the processing time. First, it restore the image applying the algorithm in a straightforward manner, estimating the noise using the standard parameters that were optimized for the Gaussian case. Second, tune the parameters, in order to compensate to the wrong noise model. In existing Denoising Completed in 32.19 seconds and De Blurring completed in 8.22 seconds on same hand in proposed it achieves the result of Denoising image in 22.16 seconds and De Blurring image in 6.68 seconds.

FIG. 3



6. CONCLUSION

Our image restoration process takes into account of motion blur by allowing some pixels to be reconstructed from a single image, but a full treatment of deconvolution remains an open challenge. Our solution uses two exposures in order to cover the full velocity range while minimizing the time overhead and additive noise penalty. According to experiments on both synthetically generated observation and on camera raw data, the estimated optimal exposure times correspond to observations that are corrupted by noise levels that are far from being negligible. The comprehensive study of solutions relying on an arbitrary number of exposures is, however, an important open question which requires careful modeling of the motion blur and noise.

REFERENCES

1. Giacomo Boracchi and Alessandro Foi, "Modeling the Performance of Image Restoration from Motion Blur", IEEE Transactions on Image Processing, Vol. 21, No. 8, August 2012
2. Marius Tico, Markku Vehvilainen, "Image Stabilization Based on Fusing the Visual Information in Differently Exposed Images", Nokia Research Center
3. L. Yuan, J. Sun, L. Quan, and H.-Y. Shum, "Image deblurring with blurred/noisy image pairs," ACM Trans. Graph., vol. 26, no. 3, p. 1, Jul. 2007.
4. R. Fergus, B. Singh, A. Hertzmann, S. T. Roweis, and W. T. Freeman, "Removing camera shake from a single photograph," ACM Trans. Graph., vol. 25, no. 3, pp. 787–794, 2006.
5. Y. Yitzhaky, I. Mor, A. Lantzman, and N. S. Kopeika, "A direct method for restoration of motion blurred images," J. Opt. Soc. Amer. A, vol. 15, no. 6, pp. 1512–1519, 1998.
6. Levin, R. Fergus, F. Durand, and W. T. Freeman, "Image and depth from a conventional camera with a coded aperture," ACM Trans. Graph., vol. 26, no. 3, pp. 1–70, Jul. 2007.
7. W. H. Richardson, "Bayesian-based iterative method of image restoration," J. Opt. Soc. Amer., vol. 62, no. 1, pp. 55–59, 1972.
8. R. Neelamani, H. Choi, and R. Baraniuk, "Forward: Fourier-wavelet regularized deconvolution for ill-conditioned systems," IEEE Image Process. Trans., vol. 52, no. 2, pp. 418–433, Feb. 2004.
9. Foi, S. Alenius, M. Trimeche, V. Katkovnik, and K. Egiazarian, "A spatially adaptive Poissonian image deblurring," in Proc. IEEE Int. Conf. Image Process., Genova, Italy, Sep. 2005, pp. 925–928.
10. Joao P. A. Oliveira, Mario A. T. Figueiredo, and Jose M. Bioucas-Dias, "Blind Estimation of Motion Blur Parameters For Image Deconvolution"
11. Alessandro Foi, Sakari Alenius, Mejd Trimeche, Vladimir Katkovnik and Karen Egiazarian, "A SPATIALLY ADAPTIVE POISSONIAN IMAGE DEBLURRING"

REQUEST FOR FEEDBACK

Dear Readers

At the very outset, International Journal of Research in Computer Application & Management (IJRCM) acknowledges & appreciates your efforts in showing interest in our present issue under your kind perusal.

I would like to request you to supply your critical comments and suggestions about the material published in this issue as well as on the journal as a whole, on our E-mail infoijrcm@gmail.com for further improvements in the interest of research.

If you have any queries please feel free to contact us on our E-mail infoijrcm@gmail.com.

I am sure that your feedback and deliberations would make future issues better – a result of our joint effort.

Looking forward an appropriate consideration.

With sincere regards

Thanking you profoundly

Academically yours

Sd/-

Co-ordinator

DISCLAIMER

The information and opinions presented in the Journal reflect the views of the authors and not of the Journal or its Editorial Board or the Publishers/Editors. Publication does not constitute endorsement by the journal. Neither the Journal nor its publishers/Editors/Editorial Board nor anyone else involved in creating, producing or delivering the journal or the materials contained therein, assumes any liability or responsibility for the accuracy, completeness, or usefulness of any information provided in the journal, nor shall they be liable for any direct, indirect, incidental, special, consequential or punitive damages arising out of the use of information/material contained in the journal. The journal, nor its publishers/Editors/Editorial Board, nor any other party involved in the preparation of material contained in the journal represents or warrants that the information contained herein is in every respect accurate or complete, and they are not responsible for any errors or omissions or for the results obtained from the use of such material. Readers are encouraged to confirm the information contained herein with other sources. The responsibility of the contents and the opinions expressed in this journal is exclusively of the author (s) concerned.

ABOUT THE JOURNAL

In this age of Commerce, Economics, Computer, I.T. & Management and cut throat competition, a group of intellectuals felt the need to have some platform, where young and budding managers and academicians could express their views and discuss the problems among their peers. This journal was conceived with this noble intention in view. This journal has been introduced to give an opportunity for expressing refined and innovative ideas in this field. It is our humble endeavour to provide a springboard to the upcoming specialists and give a chance to know about the latest in the sphere of research and knowledge. We have taken a small step and we hope that with the active co-operation of like-minded scholars, we shall be able to serve the society with our humble efforts.

Our Other Journals

